## AUCTION CATALOGUE MAGNA POWERTRAIN COMPLETE FACILITY SURPLUS TO THE ONGOING OPERATIONS

Auction Date:
Tuesday December 6, 2022
Live Webcast Online Only Bidding Starts: 9:30 am (EST)

Complete Terms & Conditions provided during registration, at auction site and available on our website

Auction conducted in US Currency - 18% Buyer's Premium Applies

Payment via: US\$ wire transfer, direct deposit, electronic fund transfer Payment Deadline: Wed. Dec 7

Exclusive Rigging for all Non Die Cast Items provided by: Redmond and Associates Contact Tony Redmond, 905-671-8800, <a href="mailto:tony@redmondmovers.com">tony@redmondmovers.com</a>
Lots with exclusive rigging prices will be charged and collected on your invoice.

Pricing does not include transportation.

If exclusive prices are not listed in the lot, please contact Tony to confirm pricing.

Site Contact: Kevin 647-704-3528
Site Address: 1755 Argentia Road, Mississauga, Ontario, L5N 1V2

Removal Deadlines: Small items, pallet size and under, by December 23

All non die cast machinery, by January 31 (subject to coordination with exclusive rigger Redmond & Associates)

All Die Cast Machinery – March 17<sup>th</sup> (no exclusive rigging applied)

Removal hours of operation:

Mon – Friday: 7:30 am – 5 pm Dec 7 – 23: Open Dec 24 – Jan 2: closed for the holidays Jan 3: open

> Workingman Capital Corp. 2500 – 120 Adelaide St. W Toronto, ON M5H1T1 416-847-7336

Number	Description
1	LOT OF PRECISION INSPECTION: MITUTOYO BORE GAUGES, MICROMETERS, GAGE PINS,
	DEPTH MICROMETER 4 CALIPERS UP TO 6INCH
2	LOT PRECISION INSPECTION: 24INCH VERNIER, INSIDE MICROMETER, BORE GAUGE,
	MITUTOYO 3 CALIPERS UP TO 12INCH
3	LOT PRECISION INSPECTION: MITUTOYO 40INCH VERNIER, COMPAC BORE GAUGE,
	MITUTOYO CALIPER 14INCH
4	LOT PRECISION INSPECTION: FOWLER CALIPER 12INCH - 16INCH, MITUTOYO CALIPER
	8INCH - 9INCH, STARRET CALIPER 15INCH - 16INCH
5	LOT PRECISION INSPECTION: MITUTOYO 10INCH - 11INCH CALIPER, MITUTOYO
_	28INCH DIGITAL VERNIER, MITUTOYO 60INCH VERNIER
6	LOT PRECISION INSPECTION: MITUTOYO 9INCH - 10INCH CALIPER, 3 SETS MITUTOYO
	BLOCK SETS, 1 PIN GAUGE SET
7	LOT PRECISION INSPECTION: ETALON 6 PC INSIDE MICROMETER SET, 4 PC BORE
,	MICROMETER SET, ETALON INSIDE MIC, SHAMROCK STRAIN GAUGE
8	LISTA 8 DRAWER CABINET W MAPLE TOP, EXCLUDES CONTENTS IN DRAWERS 1-7,
	INCLUDES CONTENTS OF DRAWER 8
9	ROUSSEAU 11 DRAWER TOOL CABINET INCLUDING CONTENTS
10	ROUSSEAU 14 DRAWER CABINET, SOME DRAWERS W CONTENTS, HD ALLEN KEYS ETC
11	ROUSSEAU 10 DRAWER TOOL CABINET W CONTENTS, BRASS FITTINGS, THREADED
11	BLOCKS, SPACERS, PUSH PULL, SPRINGS,
12	ROUSSEAU 9 DRAWER CABINET, SOME CONTENTS
13	SET OF 3 TALL TOOL CABINETS, TOTAL 63 DRAWERS, SOME CONTENTS
14	SET OF 2 TALL TOOL CABINETS, TOTAL 22 DRAWERS, SOME CONTENTS
15	SET OF 2 LISTA TOOL CABINETS, ONE W 8 DRAWERS, ONE W 10 DRAWERS, SOME
	CONTENTS
16	SET OF 2 LISTA TOOL CABINETS, ONE W 9 DRAWERS, ONE W 10 DRAWERS, SOME CONTENTS
17	SET OF 2 LISTA TOOL CABINETS, BOTH W 9 DRAWERS, SOME CONTENTS
	3 ROWS OF LAWSON PRODUCTS HARDWARE INCLUDING: 10 STACKS OF PULL OUT
18	HARDWARE COMPONENTS, 11 SIX FOOT STACKS OF OPEN TOOL POCKETS, 2 FOUR
	FOOT STACKS OF OPEN TOOL POCKETS, END CAPS WITH PIPE HARDWARE ETC.
	2 ROWS OF ASSORTED HARDWARE INCLUDING: 6 BLUE ANGLED ROLLING RACKS OF
19	OPEN HARDWARE POCKETS, 3 STACKS OF GREY HARDWARE RACKS, 2 LAWSON OPEN
	CABINETS
	2 LISTA 10 DRAWER CABINETS W MAPLE TOP AND CONTENTS, INCLUDING SANDVIK
20	TOOL SETTING FIXTURE AND 2 OTHER TOOL SETTING FIXTURES [TOOL ROOM WEST]
2.1	LISTA 10 DRAWER CABINET W CONTENTS, MOSTLY EMPTY DRAWERS [TOOL ROOM
21	WEST]
22	LOT 3 ROUSSEAU MAPLE TOP DESKS, ONE W 7 DRAWERS, ONE W 4 DRAWERS PLUS
22	MARPLE PRECISION PLATE, TOOL FIXTURE, ONE DESK ONLY
	MILLER SYNCROWAVE 250 DX TIG W COOLMATE 3 CHILLER, DRO, ON PORTABLE STEEL
23	FRAME CART. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 175 WILL BE ADDED TO
	INVOICE. TRANSPORTATION NOT INCLUDED.
	L

24	LUCIFER FURNACE ON STEEL FRAME, INSIDE DIMENSIONS APPROX: 30INCH X 30INCH X 30INCH, INCLUDES HOOD. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 440 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
25	ENERPAC 200 TON H FRAME PRESS, MODEL 1PR 200 D13-2, 48INCH BETWEEN
	UPRIGHTS, ADJUSTABLE HEIGHT, 4' X 7' BED, SN 01712C PLEASE NOTE: EXCLUSIVE
	RIGGING FEE OF US\$ 670 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT
	INCLUDED.
26	MODULAR HYDRAULIC UNIT, 20 HP MOTOR PLEASE NOTE: EXCLUSIVE RIGGING FEE OF
26	US\$ 345 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
	CUSTOM HYDRAULIC FIXTURE / DIE STAND, INCLUDES RED PORTABLY HYDRAULIC
27	CART, STAND APPROX. 72INCH W X 42INCH H. PLEASE NOTE: EXCLUSIVE RIGGING FEE
	OF US\$ 345 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
28	RIDGID MODEL 535 PIPE THREADER, PORTABLE
29	RIDGID MODEL 300 PIPE THREADER ON PORTABLE STEEL CART
23	TRINCO DRY BLAST CABINET, MODEL 42X24 SL, W DUST COLLECTOR, SN 55583 PLEASE
	· · · · · · · · · · · · · · · · · · ·
30	NOTE: EXCLUSIVE RIGGING FEE OF US\$ 175 WILL BE ADDED TO INVOICE.
	TRANSPORTATION NOT INCLUDED.
31	KING INDUSTRIAL 14INCH ROLL IN BANDSAW. PLEASE NOTE: EXCLUSIVE RIGGING FEE
	OF US\$ 175 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
	KING INDUSTRIAL COMBINATION SANDER, 6INCH X 22INCH AND 12INCH DISC. PLEASE
32	NOTE: EXCLUSIVE RIGGING FEE OF US\$ 175 WILL BE ADDED TO INVOICE.
	TRANSPORTATION NOT INCLUDED.
	LOT 2 JET SUPER DUTY EXTENDED ANVIL 1INCH AIR IMPACT WRENCHES [TOOL ROOM
33	IN CABINET BEHIND RADIAL DRILL]
	LOT: 2 LISTA TABLES, ONE W 7 DRAWERS, PLUS MITUTOYO 24INCH X 18INCH X 4INCH
34	PRECISION PLATE ON STEEL FRAME [TOOL ROOM EAST WALL]
35	ROSSEAU CABINET W CONTENTS INCLUDED [TOOL ROOM EAST WALL]
36	OPEN LOT
	LOT 3 MAPLE TOP CABINETS ONE W 3 ROSSEAU 4 DRAWER CABINET, ONE WITH 2
37	DRAWER AND CABINET [TOOL ROOM EAST WALL]
	LISTA MAPLE TOP DESK W 4 DRAWERS, ROSSEAU MAPLE TOP DESK W 2 DRAWERS,
38	CABINET, WITH CONTENTS [TOOL ROOM EAST WALL]
	LOT 3 MAPLE TOP DESKS TWO W ROSSEAU 4 DRAWERS, CONTENTS [TOOL ROOM EAST
39	WALL]
	-
4.0	LOT W 2 MAPLE TOP DESKS, ONE W LISTA 6 DRAWERS, ONE W LISTA 5 DRAWERS, 5
40	DRAWER TOOL CABINET, LAWSON CABINET, BLACK STORAGE CABINET, CONTENTS
	[TOOL ROOM EAST WALL]
41	LOT 4 MAPLE TOP DESKS, TWO WITH ROSSEAU 4 DRAWERS, PLUS 2 STEEL FRAME
. –	TABLE W WOOD TOP 7'W X 32INCHD X 36INCH H [TOOL ROOM CENTER COLUMN]
42	LOT (3) 6INCH VISES [TOOLROOM NEAR VERTICUT BANDSAW]
43	LOT: LISTA PORTABLE 5 DRAWER CABINET, MAPLE TOP TABLE, 2 DOOR TOOL ROOM
	CABINET [TOOL ROOM CENTER COLUMN]
44	LOT OF 7 HD STEEL TABLES, EACH APPROX. 86INCH X 34INCH X 36INCH, 1/4INCH
	STEEL SURFACE, 1 W VISE [TOOL ROOM]
45	LOT OF 7 HD STEEL TABLES, EACH APPROX. 86INCH X 34INCH X 36INCH, 1/4INCH
	STEEL SURFACE, 1 W VISE [TOOL ROOM]
	-

46	ACTIVE SCALE 5,000 LB CAPACITY, 5'X 5', W DRO [SOUTH WALL COLUMN U14]
47	MITUTOYO PRECISION TABLE 4' X 3' X 6INCH ON STEEL FRAME [SOUTH WALL COLUMN
+/	U7]
48	OPEN LOT
49	OPEN LOT
5.0	NIKON STEREO MICROSCOPE MODEL SMZ800, SN SM002, W TORAL CAST BASE
50	[UPSTAIRS LAB]
51	OLYMPUS STEREO MICROSCROPE MODEL GX41F, SN 5K09676 [UPSTAIRS LAB]
52	OLYMPUS OPTICAL MICROSCOPE MODEL BX60MF5, SN 7A05179 [UPSTAIRS LAB]
53	OPTI TECH STERE MICROSCOPE MODEL SMZ 168 SERIES, SN 077516, INCLUDES NIKON
33	HIGH INTENSITY ILLUMINATOR, MODEL NI-150 [UPSTAIRS LAB]
54	CLARK DIGITAL HARDNESS TESTER, MODEL CR-3, SN CR 0209 [UPSTAIRS LAB]
55	AKASHI MICRO HARDNESS TESTER, MODEL MVK-HO, SN 560775 [UPSTAIRS LAB]
55A	WILSON HARDNESS TESTER, MODEL 4 JR, SN 5415 [*UPSTAIRS LAB - DUNDAS]
56	LECO MODEL MSX250M PRECISION GRINDING SAW, 12INCH DISCS [UPSTAIRS LAB]
F 7	LECO MODEL SPECTRUM SYSTEM 2000 PRECISION GRINDER, 10INCH DISC [UPSTAIRS
57	LAB]
58	LECO PRECISION GRINDER, MODEL 824-100-600, SN 3005, NOTE: PANELS OPEN MAY
36	NEED REPAIR [UPSTAIRS LAB]
59	LECO MODEL PR-4X MOUNTING PRESS, MODEL TYPE 816-100, SN 4107 [UPSTAIRS
39	LAB]
60	2006 MOTT FUME HOOD MODEL 7221000, INTERIOR DIMENSIONS, APPROX: 38INCH
00	W X 24INCH D X 30+INCH H, SN 27314 [UPSTAIRS LAB]
61	INSTRON TEST CHAMBER INTERIOR DIMENSIONS APPROX. 14INCH W X 14INCH D X
01	21INCH H, INCLUDES BLACK CABINET BASE [UPSTAIRS LAB]
62	MAGNAFLUX BLACK LIGHT MODEL ZB-100F, FAN COOLED BLACK LIGHT FOR
02	FLOURESCENT MAGNETIC PARTICLE AND PENETRANT INSPECTION [UPSTAIRS LAB]
63	WEIGH TRONIX CLASS III SCALE, 8INCH X 9INCH BASE, W 2 PRECISION WEIGHTS, 5 KG
	& 100 GR [UPSTAIRS LAB]
64	LOT 5 ROSSEAU TABLES, MAPLE TOP, ONE W 8 DRAWER, ONE W 7 DRAWER, THREE W 4
	DRAWER AND CABINET [UPSTAIRS LAB]
65	LOT 2 ROSSEAU TOOL CABINETS W MAPLE TOP, INCLUDING CONTENTS [UPSTAIRS LAB]
66	OMEGA PORTABLE INFRARED THERMOMETER, MODEL OS 3707, SN 021843 [UPSTAIRS
	LAB]
67	DYNAPOCKET REBOUND HARDNESS TESTER [UPSTAIRS LAB]
68	LECO MODEL LX31 MICROSCOPE, SN 42242 [UPSTAIRS LAB]
69	FISHER SCIENTIFIC ISOTEMP OVEN MODEL 516G, APPROX INTERIOR DIMENSIONS
	14INCH X 13INCH X 14INCH, SN 410N0316 [UPSTAIRS LAB]
70	BLACKSTONE - NEY ULTRASONICS, ULTRASONIC BATH W SS STAND AND VACUUM
	PUMP, MODEL HT-1212, INTERIOR DIMENSIONS APPROX. 12INCH X 12INCH X
	11INCHH, SN B516564-A4G [UPSTAIRS LAB]
71	PORTABLE STEEL WORK TABLE WITH SS TANK, VALVE ETC. AND SAFETY KLEEN SS PARTS
	WASHER BIN, FUME HOOD, ROSSEAU 4 DRAWER MAPLE TOP TABLE, CHAIR, EXCL
	COMPUTER [UPSTAIRS LAB]
72	PRECISA SCALE MODEL XB220A, MAX 220 GR [UPSTAIRS LAB]

98	LOT APPROX. 32 ASSORTED HEAVY DUTY STEEL SAW HORSES, UP TO 30,000 LB CAPACITY. NOTE: NOT SAFETY CERTIFIED
99	PORTABLE 4 SIDED RACK WITH ASSORTED LIFTING EYE BOLTS
100	CHEVALIER SURFACE GRINDER MODEL FSG-1224-AD, 12INCH X 24INCH CHUCK, AUTO DRESSING, FILTRATION, SN F1802004, INCLUDES ADDITIONAL 6INCH X 18INCH CHUCK [TOOLROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 440 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
101	CHEVALIER SURFACE GRINDER MODEL FSG-1224-AD, 12INCH X 24INCH CHUCK, AUTO DRESSING, FILTRATION, SN F1882004 PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 440 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
102	CHEVALIER SURFACE GRINDER MODEL FSG-618M, 6INCH X 18INCH CHUCK, HEIDENHAIN 2 AXIS DRO PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 290 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
103	CHEVALIER SURFACE GRINDER MODEL FSG-618M, 6INCH X 18INCH CHUCK, AN A3891009 PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 290 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
104	CHEVALIER SURFACE GRINDER MODEL FSG-618M, 6INCH X 18INCH CHUCK, SN A3881002 PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 290 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
105	GRISETTI CYLINDRICAL GRINDER MODEL GRIA 600, 6INCH 3 JAW CHUCK, ID GRINDER, TAILSTOCK, SN 115 PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 440 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
106	LOT: 2 METAL CABINETS WITH ASSORTED GRINDING WHEELS, CHUCKS, PLATES, ETC.
107	LOT: PREGRAPH TOOL SHARPENER MODEL 112, SN 10362, BLACK DIAMOND TOOL SHARPENER, 12INCH X 10INCH DEMAG UNIT, PLUS LISTA 7 DRAWER WORK TABLE AND CONTENTS INCLUDING COLLETS, GRINDING WHEELS, 2 HOT MELT POTS ETC.
108	LOT: BALDOR DOUBLE PEDESTAL GRINDER 3 HP, (2) DEWALT PEDESTAL CHOP SAWS PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 175 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
109	OPEN LOT
110	ENERPAC 30 TON H FRAME PRESS, 29INCH BETWEEN UPRIGHTS
111	UNITED AIR SPECIALISTS DUST COLLECTOR MODEL VCC-1500, SN 60052605, INCLUDES DUCTING TO MACHINES. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 345 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
112	MARBLE SURFACE PLACE 40INCH X 42INCH X 12 ON STEEL STAND WITH MITUTOYO 24INCH DIGITAL HEIGHT GAUGE, ANGLE BLOCK
113	HEAVY DUTY STEEL CABINET WITH CONTENTS INCLUDING: 4 SPIN INDEXERS, GRIND ALL ATTACHMENTS, V BLOCKS, 5 ASSORTED SIZE MAG CHUCKS, PRECISION VISES, ANGLE PLATES, COLLETS
114	STONE SURFACE PLATE 60INCH X 36INCH X 10INCH ON STEEL FRAME, EXCLUDING CONTENTS. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 172 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
115	STONE SURFACE PLATE 24INCH X 24INCH X 4INCH W MITUTOYO 12INCH DIGITAL HEIGHT GAUGE
116	LOT 9 ROUSSEAU MAPLE TOP WORK BENCHES, 1 W 6INCH, 1 W 8INCH VISE, EXCLUDES CONTENTS

117	GREEEN 11 DRAWER TOOL CABINET W CONTENTS, SHIM SET, CONDUIT ETC
118	BLUE RACK W 9 DRAWER TOOL CABINET W CONTENTS
119	BLUE RACK W 9 DRAWER TOOL CABINET W CONTENTS
120	BLUE LISTA CABINET W 9 DRAWERS W CONTENTS
121	LOT REMAINING CONTENTS OF MAINTENANCE CAGE, MAG DRILL, 2 PORTABLE CARTS W JACKS, TOOLS, CONTENTS, GREENLEE JOB BOX (EMPTY), 2 DOOR METAL CABINET W CONTENTS, PUMP, MISC WIRING, PIPE BENDERS, TOOLS, CYLINDERS, PARTS ETC.
122	[TOOL ROOM CAGE]  LOT 2 GREEN LISTA 12 DRAWER CABINETS W 2 V BLOCKS AND HD 12INCH VISE
123	MAS 4' RADIAL DRILL MODEL VO 50, BOX TABLE SN 4158. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 670 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
124	KAFO MILL MODEL KF-VBM-AL (4V), 75 INCH X 18 INCH TABLE, 18 N COLLET CHUCKS, FAGOR 3 AXIS DRO, 10 HP, SN 12188. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 670 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
125	KAFO MILL MODEL KF-VBM-AL (4V), 75 INCH X 18 INCH TABLE, 18 N COLLET CHUCKS, D-ANN 3 AXIS DRO, 10 HP, SN 12034. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 670 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
126	FIRST MILL MODEL LC-185VS, 50INCH X 10INCH TABLE, 3 HP, HEIDENHAIN 3 AXIS DRO, SN 90603967, W 8INCH 3 JAW CHUCK. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 270 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
127	FIRST MILL MODEL LC-1 1/2 VS, 42INCH X 9INCH TABLE, 2 HP, HEIDENHAIN 2 AXIS DRO, SN 30119326, W 6INCH KAR VISE. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 270 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
128	FIRST MILL MODEL LC-1 1/2 VS, 42INCH X 9INCH TABLE, 2 HP, HEIDENHAIN 2 AXIS DRO, SN 115318, W 6INCH KAR VISE. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 270 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
129	STANDARD MODERN LATHE 13INCH X 34INCH, 8INCH 3 JAW CHUCK, TAILSTOCK, TOOLPOST, 36 - 1800 RPM, SN 11832. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 345 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
130	HARRISON LATHE MODEL VS 330TR CENTER LATHE, COLLET CHUCK, TAILSTOCK TOOLPOST. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 345 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
131	BAXTER VERTICUT HORIZONTAL BANDSAW MODEL 360 SA HV, APPROX. 20INCH X 14INCH CAPACITY, 2 HP, BLADE DIM 1INCH X 13'6INCH, SN 5635. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 270 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
132	EDM SOLUTIONS APOLLO CNC SINKER EDM, 70INCH X 44INCH X 26INCH INNER CAPACITY, SYSTEM 3R TOOLING, HEIDENHAIN TNC 406 CONTROLS, SN 9094. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 880 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
133	SODICK WIRE EDM MODEL AQ 535L, LN1W CONTROL, SN T-0161. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 880 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.

134	SURE FIRST SINKER EDM MODEL ZPNC-408, 42INCH X 24INCH X 18INCH CAPACITY, SYSTEM 3R TOOLING, SN 0042317. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 670 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
135	SURE FIRST SINKER EDM MODEL ZPNC-408, 42INCH X 24INCH X 18INCH CAPACITY, SYSTEM 3R TOOLING, SN 0042315. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 670 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
136	LOT HEAVY DUTY CABINET CONTAINING SYSTEM 3R TOOLING AND EDM HEADS, PRECISION BLOCKS, CHUCKS, DEWALT POWER TOOL, CLAMPS ETC
137	LOT 1 BEIGE 2 DOOR CABINET WITH CONTENTS, SYSTEM 3R TOOLING, COMPONENTS, 1 OPEN 5 LEVEL SHELF WITH EDM TOOLING, 3 BLACK CABINETS W EDM TOOLING, METAL BLOCKS, CONTENTS, ETC
138	STARRET MODEL HB400 OPTICAL COMPARATOR, 15INCH SCREEN, QUADRA CHEK 200 CONTROL, SN 51149. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 290 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
139	OPEN LOT
143	DIE CASTERS WILL BE SOLD TWO WAYS, FIRST IN PARTS, THEN EN BLOC, WHICHEVER IS HIGHER IS HOW IT WILL SELL. [LOTS 143A-143F] CELL 5 - 2006 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATA@NET (DATANET), MAIN MOTOR: 120 & DECENTION & DECENTAR & DECENTION & DECENTION & DECENTION & DECENTION & DECENTI

143A	2006 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PLUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATA@NET (DATANET), MAIN MOTOR: 120 & Camp; 60 HP, MACHINE WEIGHT 228,000 POUNDS
143B	STRIKO WESTOFFEN W1700S PRODOS ELECTRIC HEATED ALUMINUM DOSING FURNACE
143C	ABB IRB 6400S 2.9-120 SIX AXIS FULLY AUTOMATIC ROBOT DIE SPRAY SYSTEM FEATURING WOLLIN SPRAY CASSETTE AND SPRAY NOZZLES
143D	ABB IRB 6650/3.2-125 SIX AXIS FOUNDRY GRADE INDUSTRIAL ROBOT PARTS EXTRACTOR
143E	50 TON VERTICAL TRIM PRESS
143F	2004 REGLOPLAS, MODEL 301DG/24/FM30/1K/TR45, DUAL ZONE HOT OIL TEMPERATURE CONTROL UNIT, SN 0257003812
144	DIE CASTERS WILL BE SOLD TWO WAYS, FIRST IN PARTS, THEN EN BLOC, WHICHEVER IS HIGHER IS HOW IT WILL SELL. [LOTS 144A - 144F] CELL 11 - 2004 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PLUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATA@NET (DATANET), MAIN MOTOR: 120 & amp; 60 HP, MACHINE WEIGHT 228,000 POUNDS. COMPLETE BUHLER DIE CASTING CELL WITH DATA@NET CONTROLS, STRIKO DOSING FURNACE, ABB ROBOT DIE SPRAY, ABB ROBOT EXTRACTOR, AUTOMATED TRIM PRESS, ETC. FULLY AUTOMATIC DUAL AUTOMATIC TIE BAR PULLING - TOP TWO TIE BARS. SIX AUXILIARY HYDRAULIC CORE CIRCUITS - FOUR ON MOVING PLATEN - TWO ON FIXED PLATEN. ABB IRB 6400S 2.9-120 SIX AXIS FULLY AUTOMATIC ROBOT DIE SPRAY SYSTEM FEATURING WOLLIN SPRAY CASSETTE AND SPRAY NOZZLES. STRIKO WESTOFFEN W1700S PRODOS ELECTRIC HEATED ALUMINUM DOSING FURNACE. ABB IRB 6600/2.8-175 SIX AXIS FOUNDRY GRADE INDUSTRIAL ROBOT PARTS EXTRACTOR - EXTRACTS CASTINGS FROM DIE CAST MACHINE, WATER QUENCHES, LOADS & amp; UNLOADS AUTOMATED TRIM PRESS. CELL INCLUDES QUENCH TANK COOLING SYSTEM WITH HEAT EXCHANGER, 50 TON VERTICAL TRIM PRESS, 2019 METAL PRESS MODEL THC-D-24, DUAL ZONE HOT OIL TEMPERATURE CONTROL UNIT, (2) 24KW, SN 40854, PROTECTIVE FENCING, ETC.

_	
144A	2004 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PLUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATA@NET (DATANET), MAIN MOTOR: 120 & Camp; 60 HP, MACHINE WEIGHT 228,000 POUNDS
144B	STRIKO WESTOFFEN W1700S PRODOS ELECTRIC HEATED ALUMINUM DOSING FURNACE
144C	ABB IRB 6400S 2.9-120 SIX AXIS FULLY AUTOMATIC ROBOT DIE SPRAY SYSTEM FEATURING WOLLIN SPRAY CASSETTE AND SPRAY NOZZLES
144D	ABB IRB 6600/2.8-175 SIX AXIS FOUNDRY GRADE INDUSTRIAL ROBOT PARTS EXTRACTOR
144E	50 TON VERTICAL TRIM PRESS
144F	2019 METAL PRESS MODEL THC-D-24, DUAL ZONE HOT OIL TEMPERATURE CONTROL UNIT, (2) 24KW, SN 40854
145	DIE CASTERS WILL BE SOLD TWO WAYS, FIRST IN PARTS, THEN EN BLOC, WHICHEVER IS HIGHER IS HOW IT WILL SELL. [LOTS 145A - 145E] CELL 7: 2003 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PLUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATASPEED, MAIN MOTOR: 120 & DIE SPRAY SYSTEM, ABB ROBOT EXTRACTOR, AUTOMATED TRIM PRESS, ETC. FULLY AUTOMATIC DUAL AUTOMATIC TIE BAR PULLING - TOP TWO TIE BARS. SIX AUXILIARY HYDRAULIC CORE CIRCUITS - FOUR ON MOVING PLATEN - TWO ON FIXED PLATEN. WOLLIN PSM-448 (PSM448) HIGH SPEED 2 AXIS LINEAR DIE SPRAY SYSTEM FEATURING WOLLIN SPRAY CASSETTE AND WOLLIN SPRAY NOZZLES. STRIKO WESTOFFEN W1700S PRODOS ELECTRIC HEATED ALUMINUM DOSING FURNACE. ABB IRB 6400/2.8-150 SIX AXIS FOUNDRY GRADE INDUSTRIAL ROBOT PARTS EXTRACTOR - EXTRACTS CASTINGS FROM DIE CAST MACHINE, WATER QUENCHES, LOADS & DIL OADS & AUTOMATED TRIM PRESS. CELL INCLUDES QUENCH TANK COOLING SYSTEM WITH HEAT EXCHANGER, 50 TON VERTICAL TRIM PRESS, PROTECTIVE FENCING, ETC.

145A	2003 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PLUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATASPEED, MAIN MOTOR: 120 & amp; 60 HP, MACHINE WEIGHT 228,000 POUNDS
145B	STRIKO WESTOFFEN W1700S PRODOS ELECTRIC HEATED ALUMINUM DOSING FURNACE
145C	WOLLIN PSM-448 (PSM448) HIGH SPEED 2 AXIS LINEAR DIE SPRAY SYSTEM FEATURING WOLLIN SPRAY CASSETTE AND WOLLIN SPRAY NOZZLES
145D	ABB IRB 6400/2.8-150 SIX AXIS FOUNDRY GRADE INDUSTRIAL ROBOT PARTS EXTRACTOR
145E	50 TON VERTICAL TRIM PRESS
	DIE CASTERS WILL BE SOLD TWO WAYS, FIRST IN PARTS, THEN EN BLOC, WHICHEVER IS HIGHER IS HOW IT WILL SELL. [LOTS 146A - 146E] CELL 6: 2002 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. *NOTE: PARTS REMOVED CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PLUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATASPEED, MAIN MOTOR: 120 & DE SPRAY SYSTEM, ABB ROBOT EXTRACTOR, AUTOMATED TRIM PRESS, ETC. FULLY AUTOMATIC DUAL AUTOMATIC TIE BAR PULLING - TOP TWO TIE BARS. SIX AUXILIARY HYDRAULIC CORE CIRCUITS - FOUR ON MOVING PLATEN - TWO ON FIXED PLATEN. WOLLIN PSM-448 (PSM448) HIGH SPEED 2 AXIS LINEAR DIE SPRAY SYSTEM FEATURING WOLLIN SPRAY CASSETTE AND WOLLIN SPRAY NOZZLES. STRIKO WESTOFFEN W1700S PRODOS ELECTRIC HEATED ALUMINUM DOSING FURNACE. ABBIRB 6400/2.8-150 SIX AXIS FOUNDRY GRADE INDUSTRIAL ROBOT PARTS EXTRACTOR - EXTRACTS CASTINGS FROM DIE CAST MACHINE, WATER QUENCHES, LOADS & DILOADS AUTOMATED TRIM PRESS. CELL INCLUDES QUENCH TANK COOLING SYSTEM WITH HEAT EXCHANGER, 50 TON VERTICAL TRIM PRESS, PROTECTIVE FENCING, ETC. *NOTE: PARTS REMOVED

146A	2002 BUHLER MODEL: EVOLUTION EV B 180 DL 1806 METRIC TON (18000 KN) 2023 U.S. TON HORIZONTAL COLD CHAMBER ALUMINUM HIGH PRESSURE DIE CASTING MACHINE. CLAMPING FORCE: 2034 TONS, DIE THICKNESS (MINIMUM - MAXIMUM): 34.1 TO 71.1 INCHES, PLATEN DIMENSIONS (HORIZONTAL X VERTICAL): 83.1 X 83.1 INCHES, CLEARANCE BETWEEN TIE BARS: 55.1 X 55.1 INCHES, MOVING PLATEN STROKE (MAXIMUM): 40.2 INCHES, INJECTION PLUNGER STROKE (MAXIMUM): 45.3 INCHES, INJECTION POSITIONS: 0 TO -16.53 INCHES, INJECTION FORCE / INTENSIFIED: 63.6 / 171.6 TONS, MAXIMUM EJECTOR FORCE / STROKE: 56.5 TONS / 9.44 INCHES, MACHINE CONTROLS: BUHLER DATASPEED, MAIN MOTOR: 120 & amp; 60 HP, MACHINE WEIGHT 228,000 POUNDS
146B	STRIKO WESTOFFEN W1700S PRODOS ELECTRIC HEATED ALUMINUM DOSING FURNACE
146C	WOLLIN PSM-448 (PSM448) HIGH SPEED 2 AXIS LINEAR DIE SPRAY SYSTEM FEATURING WOLLIN SPRAY CASSETTE AND WOLLIN SPRAY NOZZLES
146D	ABB IRB 6400/2.8-150 SIX AXIS FOUNDRY GRADE INDUSTRIAL ROBOT PARTS EXTRACTOR
146E	50 TON VERTICAL TRIM PRESS
147	PFEIFFER VACUUM SYSTEM
150	SENSORMATE TIE BAR SENSORS MODEL QE1008-W
151	1 SET BOLSTER PLATES (2 PIECES)
152	1 SET BOLSTER PLATES (2 PIECES)
153	1 SET BOLSTER PLATES (2 PIECES)
154	1 SET BOLSTER PLATES (2 PIECES)
155	1 SET BOLSTER PLATES (2 PIECES)
156	1 SET BOLSTER PLATES (2 PIECES)
157	1 SET BOLSTER PLATES (2 PIECES)
158	OPEN LOT
159	2012 OKUMA CNC VERTICAL MACHINING CENTER, MODEL M560-V, 51 INCH X 22 INCH TABLE, CAT 40, LASER PROBE, SPARE NEW RENISHAW PROBE, 10 INCH 4TH AXIS ATTACHMENT, ASSORTED TOOLING, HIGH PRESSURE COOLANT THROUGH SPINDLE, SN 160390 PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED. [TOOL ROOM]
159A	TRANSFORMER FOR LOT 159A
160	2013 LT3000EX OKUMA TWIN SPINDLE MULTI AXIS CNC LATHE, OSP-P300L CNC CONTROL, SWING OVER SADDLE: DIA.550MM, MAXIMUM MACHINING DIA. X LENGTH: DIA.350MM X L200MM, DISTANCE BETWEEN NOSES: 1,200MM, X AXIS TRAVEL: XA, XB: 255MM, Z AXIS TRAVEL: ZA, ZB: 930MM, Y AXIS TRAVEL: YA: 125MM, YB: 125MM, C AXIS TRAVEL: 360 DEGREE, SPINDLE SPEED: 45 TO 5,000 MIN1, 2 AUTO SPEED RANGES, SPINDLE NOSE: A2-6, SPINDLE BORE/FRONT BEARING ID: DIA.80/120MM, TURRET TYPE: MULTITASKING V16, NO. OF TURRET TOOLS: 16, TURRET OD TOOL SHANK: 25/ DIA.40MM, TURRET MILLING TOOL SPINDLE SPEED: 45 TO 6,000 MIN1, COOLANT PUMP, MOTOR & DIAME, CHIP CONVEYOR, SN 170482 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
	I .

160A	TRANSFORMED FOR LOT 160
160A	TRANSFORMER FOR LOT 160
161	2013 LT3000EX OKUMA TWIN SPINDLE MULTI AXIS CNC LATHE, OSP-P300L CNC CONTROL, SWING OVER SADDLE: DIA.550MM, MAXIMUM MACHINING DIA. X LENGTH: DIA.350MM X L200MM, DISTANCE BETWEEN NOSES: 1,200MM, X AXIS TRAVEL: XA, XB: 255MM, Z AXIS TRAVEL: ZA, ZB: 930MM, Y AXIS TRAVEL: YA: 125MM, YB: 125MM, C AXIS TRAVEL: 360 DEGREE, SPINDLE SPEED: 45 TO 5,000 MIN1, 2 AUTO SPEED RANGES, SPINDLE NOSE: A2-6, SPINDLE BORE/FRONT BEARING ID: DIA.80/120MM, TURRET TYPE: MULTITASKING V16, NO. OF TURRET TOOLS: 16, TURRET OD TOOL SHANK: 25/ DIA.40MM, TURRET MILLING TOOL SPINDLE SPEED: 45 TO 6,000 MIN1, COOLANT PUMP, MOTOR & DIA.500 MIN1, COOLANT PUMP, M
161A	TRANSFORMER FOR LOT 161
162	2013 LT3000EX OKUMA TWIN SPINDLE MULTI AXIS CNC LATHE, OSP-P300L CNC CONTROL, SWING OVER SADDLE: DIA.550MM, MAXIMUM MACHINING DIA. X LENGTH: DIA.350MM X L200MM, DISTANCE BETWEEN NOSES: 1,200MM, X AXIS TRAVEL: XA, XB: 255MM, Z AXIS TRAVEL: ZA, ZB: 930MM, Y AXIS TRAVEL: YA: 125MM, YB: 125MM, C AXIS TRAVEL: 360 DEGREE, SPINDLE SPEED: 45 TO 5,000 MIN1, 2 AUTO SPEED RANGES, SPINDLE NOSE: A2-6, SPINDLE BORE/FRONT BEARING ID: DIA.80/120MM, TURRET TYPE: MULTITASKING V16, NO. OF TURRET TOOLS: 16, TURRET OD TOOL SHANK: 25/ DIA.40MM, TURRET MILLING TOOL SPINDLE SPEED: 45 TO 6,000 MIN1, COOLANT PUMP, MOTOR & DIAMAC, CHIP CONVEYOR, SN 168449 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
162A	TRANSFORMER FOR LOT 162
163	2013 LT3000EX OKUMA TWIN SPINDLE MULTI AXIS CNC LATHE, OSP-P300L CNC CONTROL, SWING OVER SADDLE: DIA.550MM, MAXIMUM MACHINING DIA. X LENGTH: DIA.350MM X L200MM, DISTANCE BETWEEN NOSES: 1,200MM, X AXIS TRAVEL: XA, XB: 255MM, Z AXIS TRAVEL: ZA, ZB: 930MM, Y AXIS TRAVEL: YA: 125MM, YB: 125MM, C AXIS TRAVEL: 360 DEGREE, SPINDLE SPEED: 45 TO 5,000 MIN1, 2 AUTO SPEED RANGES, SPINDLE NOSE: A2-6, SPINDLE BORE/FRONT BEARING ID: DIA.80/120MM, TURRET TYPE: MULTITASKING V16, NO. OF TURRET TOOLS: 16, TURRET OD TOOL SHANK: 25/ DIA.40MM, TURRET MILLING TOOL SPINDLE SPEED: 45 TO 6,000 MIN1, COOLANT PUMP, MOTOR & DIAMAC, CHIP CONVEYOR, SN 171316 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
163A	TRANSFORMER FOR LOT 163
	1

164	2013 LT3000EX OKUMA TWIN SPINDLE MULTI AXIS CNC LATHE, OSP-P300L CNC CONTROL, SWING OVER SADDLE: DIA.550MM, MAXIMUM MACHINING DIA. X LENGTH: DIA.350MM X L200MM, DISTANCE BETWEEN NOSES: 1,200MM, X AXIS TRAVEL: XA, XB: 255MM, Z AXIS TRAVEL: ZA, ZB: 930MM, Y AXIS TRAVEL: YA: 125MM, YB: 125MM, C AXIS TRAVEL: 360 DEGREE, SPINDLE SPEED: 45 TO 5,000 MIN1, 2 AUTO SPEED RANGES, SPINDLE NOSE: A2-6, SPINDLE BORE/FRONT BEARING ID: DIA.80/120MM, TURRET TYPE: MULTITASKING V16, NO. OF TURRET TOOLS: 16, TURRET OD TOOL SHANK: 25/ DIA.40MM, TURRET MILLING TOOL SPINDLE SPEED: 45 TO 6,000 MIN1, COOLANT PUMP, MOTOR & DIA. CHIP CONVEYOR, SN 171145 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
164A	TRANSFORMER FOR LOT 164
165	2013 LT3000EX OKUMA TWIN SPINDLE MULTI AXIS CNC LATHE, OSP-P300L CNC CONTROL, SWING OVER SADDLE: DIA.550MM, MAXIMUM MACHINING DIA. X LENGTH: DIA.350MM X L200MM, DISTANCE BETWEEN NOSES: 1,200MM, X AXIS TRAVEL: XA, XB: 255MM, Z AXIS TRAVEL: ZA, ZB: 930MM, Y AXIS TRAVEL: YA: 125MM, YB: 125MM, C AXIS TRAVEL: 360 DEGREE, SPINDLE SPEED: 45 TO 5,000 MIN1, 2 AUTO SPEED RANGES, SPINDLE NOSE: A2-6, SPINDLE BORE/FRONT BEARING ID: DIA.80/120MM, TURRET TYPE: MULTITASKING V16, NO. OF TURRET TOOLS: 16, TURRET OD TOOL SHANK: 25/ DIA.40MM, TURRET MILLING TOOL SPINDLE SPEED: 45 TO 6,000 MIN1, COOLANT PUMP, MOTOR & DESCRIPTION OF CONVEYOR, SN 170799 NOTE: PARTS MISSING AND CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED AND PARTS MISSING. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
165A	TRANSFORMER FOR LOT 165
166	OPEN LOT
167	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400004901 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
167A	TRANSFORMER FOR LOT 167
168	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400003331 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
168A	TRANSFORMER FOR LOT 168
169	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400002971 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.

169A	TRANSFORMER FOR LOT 169
170	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400002851 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
170A	TRANSFORMER FOR LOT 170
171	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400003281 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
171A	TRANSFORMER FOR LOT 171
172	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400002441 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
172A	TRANSFORMER FOR LOT 172
173	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400002501 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
173A	TRANSFORMER FOR LOT 173
174	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400002991 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED AND PARTS MISSING. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
174A	TRANSFORMER FOR LOT 174
175	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400003421 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED AND PARTS MISSING. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
175A	TRANSFORMER FOR LOT 175
176	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400002431 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED AND PARTS MISSING. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
176A	TRANSFORMER FOR LOT 176

177 177A	2010 DMG TWIN 65 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, 12 ATC, 12 POWERED TOOLS, 5,600 RPM, SN 7400002421 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED AND PARTS MISSING. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  TRANSFORMER FOR LOT 177
1//A	2006 DMG TWIN 42 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA
178	3.9INCH, SPINDLE DISTANCE 22.8INCH, B-AXIS OPTION, 12 ATC, 12 POWERED TOOLS, 7,000 RPM, SN 07400002561 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 5,150 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
178A	TRANSFORMER FOR LOT 178
179	2006 DMG TWIN 42 TWIN SPINDLE CNC LATHE, SWING DIA 5.7INCH, TURNING DIA 3.9INCH, SPINDLE DISTANCE 22.8INCH, B-AXIS OPTION, 12 ATC, 12 POWERED TOOLS, 7,000 RPM, SN 07400003251 NOTE: CUSTOMER OWNED CHUCK AND TURRET TOOLING REMOVED AND PARTS MISSING. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 5,150 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
179A	TRANSFORMER FOR LOT 179
180	OPEN LOT
181	2016 GE 580H ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 31.5INCH, Y: 31.5INCH, Z: 32.7INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 1890 IPM, CAPACITY: 1540 LBS., SPINDLE HP: 54 HP, SPINDLE RPM: 10,000 RPM, SPINDLE: 50 TAPER, ATC: 40, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & Amp; TANK, FLAT CHIP CONVEYOR, SN 160. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
181A	TRANSFORMER FOR LOT 181
182	2016 GE 580H ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 31.5INCH, Y: 31.5INCH, Z: 32.7INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 1890 IPM, CAPACITY: 1540 LBS., SPINDLE HP: 54 HP, SPINDLE RPM: 10,000 RPM, SPINDLE: 50 TAPER, ATC: 40, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 161. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
182A	TRANSFORMER FOR LOT 182

2016 CEE COLLENGIAL A AVICTIONIZONITAL MACCHINING CENTERS, EANIO 24112 COL
2016 GE 580H ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 31.5INCH, Y: 31.5INCH, Z: 32.7INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 1890 IPM, CAPACITY: 1540 LBS., SPINDLE HP: 54 HP, SPINDLE RPM: 10,000 RPM, SPINDLE: 50 TAPER, ATC: 40, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR SN 162. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
TRANSFORMER FOR LOT 183
2014 GE 580H ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 31.5INCH, Y: 31.5INCH, Z: 32.7INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 1890 IPM, CAPACITY: 1540 LBS., SPINDLE HP: 54 HP, SPINDLE RPM: 10,000 RPM, SPINDLE: 50 TAPER, ATC: 40, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 134. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
TRANSFORMER FOR LOT 184
OPEN LOT
2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 197. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
TRANSFORMER FOR LOT 186
2013 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & Amp; TANK, FLAT CHIP CONVEYOR, SN 162. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
TRANSFORMER FOR LOT 187
2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 206. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.

400:	TELANGEORAGE FOR LOTAGE
188A	TRANSFORMER FOR LOT 188
189	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 207. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
189A	TRANSFORMER FOR LOT 189
190	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 208. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
190A	TRANSFORMER FOR LOT 190
191	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 209. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
191A	TRANSFORMER FOR LOT 191
192	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 210. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
192A	TRANSFORMER FOR LOT 192
193	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 211. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.

1024	TRANSFORMER FOR LOT 102
193A	TRANSFORMER FOR LOT 193
194	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 212. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
194A	TRANSFORMER FOR LOT 194
195	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 213. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
195A	TRANSFORMER FOR LOT 195
196	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 214. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
196A	TRANSFORMER FOR LOT 196
197	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 215. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
197A	TRANSFORMER FOR LOT 197
198	2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING CENTERS, FANUC 31IMB CNC CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INCH, (2) PALLETS: 25.4INCH X 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 LBS., SPINDLE HP: 50 HP, SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, APC: ROTARY, B AXIS, HIGH PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, COOLANT PUMP, MOTOR & amp; TANK, FLAT CHIP CONVEYOR, SN 216. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.

198A TRANSFORMER FOR LOT 198	
2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING C CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INC 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, AP PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, CC & amp; TANK, FLAT CHIP CONVEYOR, SN 217. PLEASE NOTI OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTAT	CH, (2) PALLETS: 25.4INCH X LBS., SPINDLE HP: 50 HP, C: ROTARY, B AXIS, HIGH DOLANT PUMP, MOTOR E: EXCLUSIVE RIGGING FEE
199A TRANSFORMER FOR LOT 199	
2014 GE 460HE ENSHU 4 AXIS HORIZONTAL MACHINING C CONTROL, TRAVELS: X: 23.6INCH, Y: 23.6INCH, Z: 23.6INC 25.4INCH, RAPID TRAVERSE: 3543 IPM, CAPACITY: 1,100 SPINDLE RPM: 15,000 RPM, SPINDLE: CAT40, ATC: 60, AP PRESSURE COOLANT THRU SPINDLE, SPINDLE CHILLER, CC & amp; TANK, FLAT CHIP CONVEYOR, SN 218. PLEASE NOTI OF US\$ 6,672 WILL BE ADDED TO INVOICE. TRANSPORTAT	CH, (2) PALLETS: 25.4INCH X LBS., SPINDLE HP: 50 HP, C: ROTARY, B AXIS, HIGH DOLANT PUMP, MOTOR E: EXCLUSIVE RIGGING FEE
200A TRANSFORMER FOR LOT 200	
201 OPEN LOT	
2011 MORI SEIKI NHX 4000 HORIZONTAL CNC MACHINING 22.0INCH, Y 22.0INCH, Z 25.9INCH, PALLET SIZE 15.7INCH TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE D 35.4INCH H, MAX 400 KG, CAT 40, 40 ATC, 12,000 RPM, S NHX40KE0122. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF TO INVOICE. TRANSPORTATION NOT INCLUDED.	H X 15.7INCH, RAPID IMENSIONS 24.8INCH W X SIEMENS CONTROL, SN
202A TRANSFORMER FOR LOT 202	
2011 MORI SEIKI NHX 4000 HORIZONTAL CNC MACHINING 22.0INCH, Y 22.0INCH, Z 25.9INCH, PALLET SIZE 15.7INCH TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE D 35.4INCH H, MAX 400 KG, CAT 40, 40 ATC, 12,000 RPM, S NHX40KF0142. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF TO INVOICE. TRANSPORTATION NOT INCLUDED.	H X 15.7INCH, RAPID IMENSIONS 24.8INCH W X SIEMENS CONTROL, SN
203A TRANSFORMER FOR LOT 203	
2011 MORI SEIKI NHX 4000 HORIZONTAL CNC MACHININ	G CENTER TRAVELS: X
22.0INCH, Y 22.0INCH, Z 25.9INCH, PALLET SIZE 15.7INCH TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE D 35.4INCH H, MAX 400 KG, CAT 40, 40 ATC, 12,000 RPM, S NHX40KC0069. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF TO INVOICE. TRANSPORTATION NOT INCLUDED.	H X 15.7INCH, RAPID IMENSIONS 24.8INCH W X SIEMENS CONTROL, SN

TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 24.8INCH W X 35.4INCH H, MAX 400 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX40KCOTO, PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,250 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  205A TRANSFORMER FOR LOT 205  2012 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, 234.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX5012020.2 PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  206A TRANSFORMER FOR LOT 206  2012 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, 234.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHXS0120203. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  207A TRANSFORMER FOR LOT 207  2011 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, 234.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHXS01K007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIKI NHX 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y28.7INCH, 233.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502INZT9. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORMER FOR LOT 210  209A TRANSFORMER FOR LOT 210  209A TRANSFORMER FOR LOT 210  2010 TRANSFORMER FOR LOT 210  2011 TRANSFORMER FOR		2011 MORI SEIKI NHX 4000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 22.0INCH, Y 22.0INCH, Z 25.9INCH, PALLET SIZE 15.7INCH X 15.7INCH, RAPID
TO INVOICE. TRANSPORTATION NOT INCLUDED.  205A TRANSFORMER FOR LOT 205  2012 MORI SEIKI INHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7 INCH, y 28.7 INCH, z 34.6 INCH, PALLET SIZE 19.7 INCH X 19.7 INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5 INCH W X 39.4 INCH H, MAX 500 KG, CAT 40, 40 ATC, 12.000 RPM, SIEMENS CONTROL, SN NHX5012020; PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  206A TRANSFORMER FOR LOT 206  2012 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7 INCH, y 28.7 INCH, 234.6 INCH, PALLET SIZE 19.7 INCH X 19.7 INCH, RAPID TRAVERSE AND FEED RATE 2, 362 IPM, MAX WORKPIECE DIMENSIONS 31.5 INCH W X 39.4 INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120203. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  207A TRANSFORMER FOR LOT 207  2011 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7 INCH, y 28.7 INCH, Z 34.6 INCH, PALLET SIZE 19.7 INCH X 19.7 INCH, RAPID TRAVERSE AND FEED RATE 2, 362 IPM, MAX WORKPIECE DIMENSIONS 31.5 INCH W X 39.4 INCH, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX501X0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIK INHX 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7 INCH, Y 28.7 INCH, Z 33.5 INCH, W, 39.3 INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502IN1279, PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209  210 TRANSFORMER FOR LOT 209  211 TRANSFORMER FOR LOT 209  212 TRANSFORMER FOR LOT 210  204 TRANSFORMER FOR LOT 210  205 TRANSFORMER FOR LOT 210  206 TRANSFORMER FOR LOT 210  207 TRANSFORMER FOR LOT 210  208 TRANSFORMER FOR LOT 210  209 TRANSFORMER FOR LOT 210  200 TRANSFORMER FOR LOT 210  200 TRANSFORMER FOR LOT 210  201 TRANSFO	205	TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 24.8INCH W X 35.4INCH H, MAX 400 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN
2012 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120202. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  206A TRANSFORMER FOR LOT 206  2012 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120203. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  207A TRANSFORMER FOR LOT 207  2011 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH , APPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX501K0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX 209  TRANSFORMER FOR LOT 208  2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX 209  TRANSFORMER FOR LOT 209  10 TRANSFORMER FOR LOT 209  210 TRANSFORMER FOR LOT 209  2004 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK		
28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120202. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  206A TRANSFORMER FOR LOT 206  2012 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120203. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  207A TRANSFORMER FOR LOT 207  2011 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50JK0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209  210 TRANSFORMER FOR LOT 209  210 TRANSFORMER FOR LOT 210	205A	
2012 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120203. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  207A TRANSFORMER FOR LOT 207  2011 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50IK0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX 209 WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209  210 TRANSFORMER FOR LOT 210  209A TRANSFORMER FOR LOT 210  210A <pre></pre>		28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120202. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED
28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120203. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  207A TRANSFORMER FOR LOT 207  2011 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50IK0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209 210 TRANSFORMER FOR LOT 210  210A <pre></pre>	206A	TRANSFORMER FOR LOT 206
2011 MORI SEIKI NHX 5000 HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50JK0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209 210 TRANSFORMER FOR LOT 210  210A	207	28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50120203. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED
28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50JK0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  208A TRANSFORMER FOR LOT 208  2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209 210 TRANSFORMER FOR LOT 210 210A POPEN LOT 2004 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X/Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.	207A	TRANSFORMER FOR LOT 207
2010 MORI SEIKI NH 5000 DCG, HORIZONTAL CNC MACHINING CENTER, TRAVELS: X 28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF U\$\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209 210 TRANSFORMER FOR LOT 210 210A Open Lot 2004 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.	208	28.7INCH, Y 28.7INCH, Z 34.6INCH, PALLET SIZE 19.7INCH X 19.7INCH, RAPID TRAVERSE AND FEED RATE 2,362 IPM, MAX WORKPIECE DIMENSIONS 31.5INCH W X 39.4INCH H, MAX 500 KG, CAT 40, 40 ATC, 12,000 RPM, SIEMENS CONTROL, SN NHX50JK0007. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED
28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF U\$\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.  209A TRANSFORMER FOR LOT 209 210 TRANSFORMER FOR LOT 210 210A Open Lot 2004 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.	208A	TRANSFORMER FOR LOT 208
210 TRANSFORMER FOR LOT 210  210A Open Lot 2004 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.	209	28.7INCH, Y 28.7INCH, Z 33.5INCH, PALLET SIZE 19.6INCH X 19.6INCH, MAX WORKPIECE DIMENSIONS 31.4INCH W, 39.3INCH H, MAX 1,100 LB, CAT 40, ATC, 14,000 RPM, CONTROL, SN NH502JI1279. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF
210A Open Lot 2004 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.	209A	TRANSFORMER FOR LOT 209
2004 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.	210	TRANSFORMER FOR LOT 210
WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.	210A	Open Lot
211A TRANSFORMER FOR LOT 211	211	WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800002021. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED
	211A	TRANSFORMER FOR LOT 211

	Table 1970
212	2003 CTV250 DMG MORI VERTICAL CNC LATHES, 840D CNC CONTROL, MAXIMUM WORK PIECE DIAMETER: DIA.8.7INCH, MAXIMUM WORK PIECE HEIGHT: 6.3INCH, MAXIMUM SWING, DIAMETER: DIA.12.6INCH, MAXIMUM CHUCK DIAMETER: DIA.10.2INCH, X / Z TRAVEL: 28.5INCH / 11.8INCH, TURRET: 12 X VDI 40, AUTOMATION IN FORM OF A TRAILING PRISM CONVEYOR BELT: 40 X DIA. 2.8INCH, 30 X DIA. 3.3INCH, 24 X DIA. 4.7INCH, 20 X DIA. 6.3INCH, 16 X DIA. 8.7INCH, SN 6800001901. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,625 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
212A	TRANSFORMER FOR LOT 212
213	ENSHU 800V CNC VERTICAL MACHINING CENTER, TRAVELS X: 78.7INCH, Y: 31.5INCH, Z: 31.5INCH, TABLE SIZE: 86.6INCH X 31.5INCH, SPINDLE TAPPER: 50, SPEED: 6000 RPM, TABLE CAPACITY: 6,613 LB, FANUC 15M CONTROLS, SN 109. *NOTE: OPERATING SYSTEM NOT UP TO DATE, MACHINE MAY NEED REPAIR, PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 11,325 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
213A	TRANSFORMER FOR LOT 213
214	2013 SE25A MITSUBISHI CNC GEAR SHAPERS, FANUC 32I-MODEL A CNC CONTROL, MAXIMUM WORK PIECE DIA.: EXTERNAL GEAR: DIA.250MM, INTERNAL GEAR: DIA.250MM (120 = CUTTER DIA.), MAXIMUM MODULE: 6, MAXIMUM GEAR WIDTH: 60MM, SPINDLE STROKE SPEED: 180 TO 1,800 (MIN1), NUMBER OF CUTS: 1 TO 4, CUTTER SPINDLE DIAMETER: DIA.90MM, NO. OF CONTROLLED AXES: 4, HYD. CLAMPING, CUTTER ADAPTOR, SPUR GUIDE, COOLANT PUMP, MOTOR & amp; TANK, CHIP CONVEYOR, MIST COLLECTOR, CHILLER, SN SE25258C4. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 5,465 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
214A	TRANSFORMER FOR LOT 214
215	2013 SE25A MITSUBISHI CNC GEAR SHAPERS, FANUC 32I-MODEL A CNC CONTROL, MAXIMUM WORK PIECE DIA.: EXTERNAL GEAR: DIA.250MM, INTERNAL GEAR: DIA.250MM (120 = CUTTER DIA.), MAXIMUM MODULE: 6, MAXIMUM GEAR WIDTH: 60MM, SPINDLE STROKE SPEED: 180 TO 1,800 (MIN1), NUMBER OF CUTS: 1 TO 4, CUTTER SPINDLE DIAMETER: DIA.90MM, NO. OF CONTROLLED AXES: 4, HYD. CLAMPING, CUTTER ADAPTOR, SPUR GUIDE, COOLANT PUMP, MOTOR & amp; TANK, CHIP CONVEYOR, MIST COLLECTOR, CHILLER, SN SE25257C4. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 5,465 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
215A	TRANSFORMER FOR LOT 215
216	2007 SE25A MITSUBISHI CNC GEAR SHAPER FANUC 21I-MB CNC CONTROL, MAX WORK PIECE DIA.: EXTERNAL GEAR: DIA.250MM, INTERNAL GEAR: DIA.250MM (120 = CUTTER DIA.), MAX MODULE: 6, MAX GEAR WIDTH: 60MM, SPINDLE STROKE SPEED: 180 TO 1,800 (MIN1), NUMBER OF CUTS: 1 TO 4, CUTTER SPINDLE DIAMETER: DIA.90MM, NO. OF CONTROLLED AXES: 4, HYD. CLAMPING, CUTTER ADAPTOR, SPUR GUIDE, COOLANT PUMP, MOTOR & DESCRIPTION OF CONVEYOR, MIST COLLECTOR, CHILLER, SN SE25057C4. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 5,465 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
216A	TRANSFORMER FOR LOT 216
-	

217	2006 SE25A MITSUBISHI CNC GEAR SHAPERS, FANUC 21I-MB CNC CONTROL, MAX WORK PIECE DIA.: EXTERNAL GEAR: DIA.250MM, INTERNAL GEAR: DIA.250MM (120 = CUTTER DIA.), MAX MODULE: 6, MAX GEAR WIDTH: 60MM, SPINDLE STROKE SPEED: 180 TO 1,800 (MIN1), NUMBER OF CUTS: 1 TO 4, CUTTER SPINDLE DIAMETER: DIA.90MM, NO. OF CONTROLLED AXES: 4 HYD. CLAMPING, CUTTER ADAPTOR, SPUR GUIDE, COOLANT PUMP, MOTOR & DIE EXCLUSIVE RIGGING FEE OF US\$ 5,465 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
217A	TRANSFORMER FOR LOT 217
218	TRANSFORMER FOR LOT 218
218A	Open Lot
219	2006 SE25A MITSUBISHI CNC GEAR SHAPERS, FANUC 21I-MB CNC CONTROL, MAX WORK PIECE DIA.: EXTERNAL GEAR: DIA.250MM, INTERNAL GEAR: DIA.250MM (120 = CUTTER DIA.), MAX MODULE: 6, MAX GEAR WIDTH: 60MM, SPINDLE STROKE SPEED: 180 TO 1,800 (MIN1), NUMBER OF CUTS: 1 TO 4, CUTTER SPINDLE DIAMETER: DIA.90MM, NO. OF CONTROLLED AXES: 4 HYD. CLAMPING, CUTTER ADAPTOR, SPUR GUIDE, COOLANT PUMP, MOTOR & DESCRIPTION OF CONVEYOR, MIST COLLECTOR, CHILLER, SN SE25032C4. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 5,465 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
219A	TRANSFORMER FOR LOT 219
220	2008 SE25A MITSUBISHI CNC GEAR SHAPER, CONTROL MISSING, MAX WORK PIECE DIA.: EXTERNAL GEAR: DIA.250MM, INTERNAL GEAR: DIA.250MM (120 = CUTTER DIA.), MAX MODULE: 6, MAX GEAR WIDTH: 60MM, SPINDLE STROKE SPEED: 180 TO 1,800 (MIN1), NUMBER OF CUTS: 1 TO 4, CUTTER SPINDLE DIAMETER: DIA.90MM, NO. OF CONTROLLED AXES: 4 HYD. CLAMPING, CUTTER ADAPTOR, SPUR GUIDE, COOLANT PUMP, MOTOR & Samp; TANK, CHIP CONVEYOR, MIST COLLECTOR, CHILLER, SN SE25110C4 NOTE: PARTS MISSING. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,245 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
220A	TRANSFORMER FOR LOT 220
221	2006 STUDER CNC GRINDER, MODEL S151, HIGH FREQUENCY DRIVE SPINDLE, SWING 14.2INCH, TRAVEL-LONG 14.2INCH, WORKHEAD POWER 4.1 HP, WORKHEAD SPEED 800 RPM, HIGH FREQ DRIVE SPINDLE, SN 70012, INCLUDES TRANSFORMER. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,070 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
222	2006 STUDER CNC GRINDER, MODEL S151, HIGH FREQUENCY DRIVE SPINDLE, SWING 14.2INCH, TRAVEL-LONG 14.2INCH, WORKHEAD POWER 4.1 HP, WORKHEAD SPEED 800 RPM, HIGH FREQ DRIVE SPINDLE, SN 70004, INCLUDES TRANSFORMER. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 6,070 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
223	OPEN LOT
224	OPEN LOT
225	PARLEC PARSETTER TMM TOOL SETTER SERIES 2500 [SOUTH TOOLING ROOM]
226	TECHNIKS MODEL 500 SHRINK PRO, SN 1601147 [SOUTH TOOLING ROOM]
1	1

227	SUSTA 5 DRAWER SHELF W ASSORTED CAT 40/50 TOOL HOLDERS [SOUTH TOOLING ROOM]
228	SUSTA 3 DRAWER SHELF W ASSORTED CAT 40/50 TOOL HOLDERS [SOUTH TOOLING ROOM]
229	ROUSSEAU PORTABLE TOOL CART W 4 ROWS OF CAT 50 TOOLS [SOUTH TOOLING ROOM]
230	SARRALLE PORTABLE TOOL CART W 6 ROWS OF CAT 50 TOOLS [SOUTH TOOLING ROOM]
231	LOT 2 MAPLE TOP WORK TABLES, ONE W VISE & DOL STANDS [SOUTH TOOLING ROOM]
232	ROUSSEAU PORTABLE TOOL CART W 8 ROWS OF CAT 50 TOOLS [TOOLROOM BEHIND ENSHU]
233	SUSTA 4 DRAWER SHELF W ASSORTED CAT 50 TOOLS [TOOLROOM BEHIND ENSHU]
234	LOT 3 PORTABLE CARTS W 10 ROWS TOTAL OF ASSORTED CAT 50 TOOLS [TOOLROOM BEHIND ENSHU]
235	SKID W 2 PRECISION HEX BOLT ANGLE PLATES 30INCH W X 24INCH H [TOOLROOM STORAGE]
236	SKID W 8 CAT 50 TOOLS
237	LOT 2 ROUSSEAU TOOL CARTS, ONE W 4 ROWS OF TOOLING, ONE W NO TOOLING
238	SKID W 7 CAT 50 TOOLS
239	SKID W 13 CAT 50 TOOLS
240	SKID W 15 CAT 50 TOOLS
241	SKID W 11 CAT 50 TOOLS
242	SKID W 7 CAT 50 TOOLS
243	SKID W 6 CAT 50 TOOLS
244	SKID W 9 CAT 50 TOOLS
245	SKID W 14 CAT 50 TOOLS
246	SKID W 16 CAT 50 TOOLS
247	SKID W 18 CAT 50 TOOLS
248	SKID W 11 CAT 50 TOOLS
249	OPEN LOT
250	<2016 CARL ZEISS CMM, MODEL CONTURA, SIZE 10/12/6, TRAVELS X 39.4INCH, Y 47.2INCH, Z 23.6INCH, MAX WORKPIECE SIZE: 60.8INCH L X 47.8INCH W X 28.2INCH H, MAX WORKPIECE 2,535 LB, SN 201605530861 [HFV6 CMM ROOM]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 515 WILL BE ADDED TO INVOICE. *SHIPPING BRACKETS, TECHNICIAN PREP AND TRANSPORTATION NOT INCLUDED.
252	<2013 CARL ZEISS CMM, MODEL CONTURA, SIZE 7/10/6, TRAVELS X 27.6INCH, Y 39.4INCH, Z 23.6INCH, MAX WORKPIECE SIZE: 52.9INCH L X 35.8INCH W X 28.2INCH H, MAX WORKPIECE 1,609 LB, SN 201306503838 [MAIN CMM ROOM]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 515 WILL BE ADDED TO INVOICE. *SHIPPING BRACKETS, TECHNICIAN PREP AND TRANSPORTATION NOT INCLUDED.

254	<2004 ZEISS CARL CMM, MODEL CONTURA, SIZE 7/10/6, TRAVELS X 27.6INCH, Y 39.4INCH, Z 23.6INCH, MAX WORKPIECE SIZE: 52.9INCH L X 35.8INCH W X 28.2INCH H, MAX WORKPIECE 1,609 LB, SN 200404521375 [MAIN CMM ROOM]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 515 WILL BE ADDED TO INVOICE. *SHIPPING BRACKETS, TECHNICIAN PREP AND TRANSPORTATION NOT INCLUDED.
255	<mi><mi><mi><mi><mi><mi><mi><mi><mi><mi><mi< td=""></mi<></mi></mi></mi></mi></mi></mi></mi></mi></mi></mi>
256	<mi><mi><mi><mi><mi><mi><mi><mi><mi><mi><mi><mi< td=""></mi<></mi></mi></mi></mi></mi></mi></mi></mi></mi></mi></mi>
256A	<2005 MITUTOYO CMM MODEL CRYSTA APEX C 7106, 4062M-3212, RENISHAW PH10MQ PROBE, 6 POCKET TOOL HOLDER MODEL FCR 25, SN 0396502 [CENTER SUPPORT FABRICATED OFFICE]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 885 WILL BE ADDED TO INVOICE. *SHIPPING BRACKETS, TECHNICIAN PREP AND TRANSPORTATION NOT INCLUDED.
257	<2005 BROWN & amp; SHARPE CMM MODEL GLOBAL STATUS 09.15.08, 43 INCH X 92 INCH TABLE, RENISHAW PH10MQ PROBE, JOYSTICK, SN 0305-6205 [MAIN CMM ROOM]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 670 WILL BE ADDED TO INVOICE. & nbsp; *SHIPPING BRACKETS, TECHNICIAN PREP AND TRANSPORTATION NOT INCLUDED.
258	<
259	MITUTOYO SJ-410 SURFACE ANALYZER W 4' x 3' x 30INCH PRECISION TABLE AND STAND [HFV6 CMM ROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 172 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
260	MITUTOYO PRECISION TABLE W MITUTOYO DIGITAL HEIGHT GAGE HDS 36INCH, W MITUTOYO SURFACE TESTER MODEL SJ-210, EXLUDES MPT FIXTURES [HFV6 CMM ROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 190 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
260A	Open Lot
261	MITUTOYO PRECISION TABLE W MITUTOYO ABSOLUTE DIGITAL HEIGHT GAGE 36INCH, W MITUTOYO SURFACE TESTER MODEL SJ-210, EXLUDES MPT FIXTURES [HFV6 CMM ROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 190 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
262	LOT 2 STEEL WORK TABLES W 5 MITUTOYO DIGITAL BORE GAUGES, 1 DIASET DIGITAL BORE GAUGE [HFV6 CMM ROOM]

262A	MITUTOYO SURFTEST EXTREME MODEL SV-3000 CNC, SURFACE TESTER, S3000 PROBE, W DYER AND COMPUTER CONTROL STATION [CENTER SUPPORT FABRICATED OFFICE] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 515 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
262B	MITUTOYO SURFTEST EXTREME MODEL SV-3000 CNC, SURFACE TESTER, S3000 PROBE, W DYER AND COMPUTER CONTROL STATION [CENTER SUPPORT FABRICATED OFFICE] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 515 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
262C	LOT 2: MITUTOYO MACH 403 TRAVELLING COLUMN CMM W YUKIWA 12INCH ROTARY TABLE, RENISHAW 14NO98 PROBE AND RENISHAW PHC 10-2 PROBE SYSTEM [CENTER SUPPORT FABRICATED OFFICE AND CENTER SUPPORT COLUMN Q12] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 515 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
263	INSTRON TENSILE TESTER MODEL 3382, CAPACITY 100 KN, 22,500 LB, 60INCH, SYSTEM ID 3382Q4186 [MAIN CMM ROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 345 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
264	STARRET SURFACE PLATE 4'X 3'X 38INCH INCLUDES MITUTOYO 24INCH DIGITAL HEIGHT GAUGE W MITUTOYO SJ-210 SURFACE TESTER [MAIN CMM ROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 190 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
265	MITUTOYO DIGITAL HEIGHT GAUGE MODEL QM HEIGHT 600/24, SN 246 [MAIN CMM ROOM]
266	LOT 2 MITUTOYO DIGITAL HEIGHT GAUGES, 18INCH & amp; 24INCH [MAIN CMM ROOM]
267	ROUSSEAU BLUE CABINET INCLUDING 5 SHELVES OF CMM PROBES, FIXTURES, HEADS ETC [MAIN CMM ROOM]
268	OPG OPTICAL COMPARATOR MODEL OQ20, 20INCH, SN QA9011 [MAIN CMM ROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 390 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
269	LOT: MITUTOYO 4 HICATOR, 4 DIAL GAUGES, 3 DIGIMATIC INDICATORS, SPARE DIAL INDICATORS, MITUTOYO ABSOLUTE DIGIMATIC INDICATOR, RENISHAW ACR3 AUTOCHANGE RACK SYSTEM, MITUTOYO PROBES ETC. [MAIN CMM ROOM]
270	LOT: 2 GRAY TORQUE TESTERS, MITUTOYO DIGITAL TESTER, GAUGES, GAUGE BLOCKS, MITUTOYO SJ201 TESTER, MAHR POCKET SURF, PRECISION BLOCKS, PRECISION REFERENCE SPECIMEN, ETC. [GREY CABINET CMM ROOM SHELF 2,3,4] [MAIN CMM ROOM]
271	LOT: DIGITAL, MANUAL, BORE GAUGES, SNAP ON ELECTRO TORQUE TQJ E1500, GRAY TORQUE METER, GO NO GO GAUGES, CALIBRATING RINGS, SPARE CMM CONTROL PENDANT [MAIN CMM ROOM]
272	LOT: HAWKEYE PRECISION BORESCOPE, SPARE PROBES, RENISHAW P17-2 PROBE INTERFACE, SPARE GAGE CHECK CONTROL PANEL, MITUTOYO CONTRACER CALIBRATION SET, SPARE GAUGES, PARTS ETC [MAIN CMM ROOM]
273	LOT: 4 SHELVES MITUTOYO RENISHAW ACR1 8 STATION PROBE RACK, MITUTOYO PRECISION BLOCKS, THREAD MICROMETER, RADIUS GAUGE SETS, SET RINGS, RENISHAW ACR 3 PROBE PORT ASSEMBLIES, PNEUMATIC ALPHA 5 AIR GUN, HAND CALIBRATORS W DIGITAL DIAL GAUGES [MAIN CMM ROOM]

274	LOT 2 SHELVES: 4 PIN GAUGE SETS, MITUTOYO PRECISION V BLOCK, DELTRONIC GAUGES [MAIN CMM ROOM]
275	LOT 2 SHELVES: 6 PIN GAUGE SETS, ASSORTED SIZES .25155005, .62675 ETC. [MAIN CMM ROOM]
276	INTERTEC CALMASTER CM-15 FLOW ADJUSTMENT CONTROL, DATA STAT CONTROL W FIXTURE, PLUS ASSORTED APPROX. 20 GAUGE FIXTURES [MAIN CMM ROOM]
277	ROUSSEAU 14 DRAWER CABINET W CONTENTS INCLUDING DIGITAL BORE GAUGES, MANUAL BORE GAUGES, INTERNAL THREAD GAUGING, 5 ASSORTED PIN GAUGE SETS, DIGITAL SCALE, QA TOOLBOX, DELTRONIC GAUGES, PRECISION BLOCKS, 3' GUAGE, PRECISION BLOCK HARDWARE, [MAIN CMM ROOM]
278	LOT 4 SHELVES ASSORTED DIGITAL BORE GAUGES, DIAL GAUGES, DEEP MICS, DIAL INDICATORS, ELECTRONIC CALIPER GAUGES, RENISHAW PROBE PH9 & amp; TP 12, SPHERICAL MICROMETERS [MAIN CMM ROOM]
279	LOT 4 SHEVLES: DIGITAL VERNIERS, DIGITAL MICROMETERS, DIGITAL DEPTH MICROMETERS, TORQUE WRENCH, 3 DIGITAL CALIPERS, OMEGA THERMOMETER, BORE GAUGE [MAIN CMM ROOM]
280	BLACK 2 DOOR CABINET INCLUDING: USON LEAK RATE CALIBRATION KIT, MITUTOYO LASER SCAN MICROMETER MODEL LSM 6200, ASSORTED OBSOLETE GO NO GO GAUGES, FIXTURES, MEAUSREMENT RINGS [MAIN CMM ROOM]
281	LOT 5 DRAWER CABINET INCLUDING CONTENTS, GAUGES, PLUS TWO 2 DOOR GREY CABINETS EXCLUDING CONTENTS AND ONE 2 DOOR BEIGE CABINET EXCLUDING CONTENTS [MAIN CMM ROOM]
282	MITUTOYO CONTRACER CV-500 CONTOUR MEASURING INSTRUMENT, MITUTOYO ROUND TEST MACHINE MODEL RA-116, INCLUDES INSPECTION AIR GAUGE LIMITED HEAVY DUTY ROLLING CART
283	MITUTOYO SURF TEST MODEL SV 400, INCLUDES MAPLE TOP 3 DRAWER WORK TABLE W 8INCH VISE
284	ROUSSEAU MAPLE TOP BENCH WITH 5 DRAWERS, PLUS 2 BLUE METAL ROLLING CARTS AND ONE BLACK PLASTIC CART, EXCLUDING CONTENTS
285	MITUTOYO PRECISION TABLE W MITUTOYO DIGITAL HEIGHT GAGE HDS 36INCH, W MITUTOYO SURFACE TESTER MODEL SJ-210, EXLUDES MPT FIXTURES [HFV6 CMM ROOM] PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 230 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
291	2014 ABB SIX AXIS ROBOT MODEL IRB 4400, SN 100182 [HFV6]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
298	2004 ABB SIX AXIS ROBOT MODEL IRB 4400, 94,492 HRS, SN 44-26787 [JL FRONT]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 725 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
299	2009 ABB SIX AXIS ROBOT MODEL IRB4400/45, Type B, SN 44-50326 [SOUTH WALL PENTASTAR NEAR CMM ROOM]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 725 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
300	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 140-102362 [HFV6 CELL STATION 31]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.

301	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 140-102350 [HFV6 CELL STATION 34]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
302	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 140-102352 [HFV6 CELL STATION 36]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
303	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 140-102363 [HFV6 CELL STATION 53]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
304	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 140-102349 [HFV6 CELL STATION 61]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
305	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 140-102353 [HFV6 CELL STATION 65]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
306	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 140-102351 [HFV6 CELL STATION 80]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
307	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 103270 [HFV6]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
308	2014 ABB SIX AXIS ROBOT, MODEL IRB 140 M2004, SN 14-50829 [62TE, SOUTHEAST]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
309	OPEN LOT
310	MOTOMAN SIX AXIS ROBOT MODEL YR-HP6-A00, YR-TN 120, SN S6M324-1-4 [HFV6 CELL]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
311	ABB ROBOT BODY, SPARE, ABB0174RP, NOTE NO CONTROLS [TOOL ROOM SOUTH WALL]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
312	ABB ROBOT BODY MODEL IRB 6400S M2000, SN 64S 20166, ABB0146-IRF, NOTE NO CONTROLS [TOOL ROOM SOUTH WALL]. PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
313	2008 ABB SIX AXIS ROBOT MODEL IRB 4400/60, M98A, SN 44-15101 [SOUTH WALL] NOTE PARTS REMOVED . PLEASE NOTE: EXCLUSIVE RIGGING FEE OF US\$ 650 WILL BE ADDED TO INVOICE. TRANSPORTATION NOT INCLUDED.
314	BOLT HANDLING CELL INCLUDING (3) 2014 OMRON ROBOTS MODEL COBRA \$800, SN'S 578-00311, 578-00230, 578-00278, PLUS (2) VIBRATORY BOWL FEEDERS [HFV6].
315	INNOVATIVE AUTOMATION FRONT COVER ASSEMBLY CELL INCLUDING 2014 OMRON ROBOT MODEL COBRA S800, SN'S 578-00255 - SEAL PRESSES, INCLUDING BOLT INSERTING CELL BESIDE [HFV6].
316	INNOVATIVE AUTOMATION LEAK TEST STATION 61, INTERTECH CONTROL MODEL M1075Y [HFV6].

317	INNOVATIVE AUTOMATION LEAK TEST STATION 62, INTERTECH CONTROL MODEL M1075Y [HFV6].
318	INNOVATIVE AUTOMATION LEAK TEST STATION 63, INTERTECH CONTROL MODEL M1075Y [HFV6].
319	HFV6 FRONT COVER ASSEMBLY SYSTEM, INCLUDES: INNOVATIVE AUTOMATION - KEYENCE MF-F3100 LASER MARKER, PIN DOWEL VIBRATORY BOWL FEEDER, PNEUMATIC ALLEN KEY, FUMEX DUST COLLECTOR, TOTAL 5 WORK STATIONS, CUSTOM CONVEYORS, 2014 NEDERMAN DUST COLLECTOR MODEL 504424, 8.5 HP [HFV6 FRONT COVER ASSEMBLY].
320	HFV6 WATER PUMP ASSEMBLY CYMAQ AS 200 LASER ENGRAVING STATION [HFV6 INSIDE CAGE W MOTOMAN ROBOT].
321	HFV6 WATER PUMP ASSEMBLY CELL INCLUDING: 6 STATIONS WITH HYDRAULIC PRESSES, ORBITFORM STATION 32, THREEBOND POWER BOOSTER, AUTOMATED SYSTEMS PRESS TESTER WITH 4 MAHR FEDERAL DIMENSIONAIR DIAMETER TESTERS, 2 MECHANICAL SEAL 40 STATION CAROUSEL FEEDERS, SA ATEQ PRESSURE TEST REJECT TESTER STATION 62, DUAL STATION 85 PRECISION INSPECTION, SIGMETER STATION 90, 2007 ULAMATIC CONTROL CABINETS. NOTE EXCLUDES ALL ABB ROBOTS SOLD PREVIOUSLY.
322	HFV6 FRONT COVER HOUSING LEAK TEST PRESS, INNOVATIVE AUTOMATION, INCLUDES 3 STATION WASHER AND DIAL TABLE AUTOMATED TEST STATION.
323	JL FRONT 5 STATION LEAK TEST / INSPECTION CELL INCLUDES: 3 INTERTECH VERTICAL TEST PRESSES, EACH WITH INTERTECH M1075Y CONTROLS AND CYMAQ AS400 ENGRAVING UNITS, SMC AIR DRYERS, (2) 2016 ULAMATIC TEST STATIONS EACH WITH (3) MAHR FEDERAL DIGITAL BORE INSPECTION UNITS, (3) 9'X 18INCH OUTFEED CONVEYORS [JL FRONT].
324	CORSTEEL HYDRAULICS WATER PUMP TEST UNIT, APPROX DIMENSION 82INCH X 76INCH X 108INCH, SERVO MAX SPEED 10,000 RPM, APPROX WEIGHT 8,000 LB, TOP, MIDDLE, BOTTOM HEATERS ALL 5000W, 460V, 1PH, ALLEN BRADLEY VERSAVIEW 1500P PLC INTERFACE [SOUTH ROOM].
325	2006 FLOW AUTOMATION LEAK TEST CELL MODEL 9113, INCLUDES 3 STATIONS: FLOW AUTOMATION LEAK TEST PRESS WITH INTERTECH M1075 CONTROLS AND SIC MARKING E10 ENGRAVING UNIT AND SMC AIR DRYER, MEIKLE PRESS W SMC AIR DRYER, 4 HEAD INSERTION MACHINE WITH 3 RODIX / ASC FEEDER CUBE VIBRATORY BOWL FEEDERS AND 12 STATION CAROUSEL, (2) DIGITAL AIR GAUGE COLUMNS.
326	LOT: 3 2010 ULAMATIC AUTOMATION LEAK TEST STATIONS, SN'S 10038-4, 10038-2, 10038-3 WITH INTERTECH M1075Y CONTROLS MASS FLOW LT, 3 SMC 1DFB15 AIR DRYERS [SOUTH WALKWAY].
327	CUSTOM 5 HEAD INSERTION AND TEST STATION INCLUDES 5 VIBRATORY BOWL FEEDERS, SMC DRYER, ALLEN BRADLEY PANEL VIEW CONTROL [CENTER SUPPORT COLUMN Q5 SOUTH]
328	FLOW / INNOVATIVE AUTOMATION 5 LEAK TEST STATIONS EACH WITH PRESS, ALLEN BRADLEY PANEL VIEW 550 CONTROL, INTERTECH MODEL M1075Y CONTROL, SIC E6 ENGRAVING UNIT, SMC AIR DRYER, PLUS 3 CYLINDER ASSEMBLY STATION WITH 2 BOWL FEEDERS AND ALLEN BRADLEY PANEL VIEW PLUS 600 CONTROL, INCLUDES 3 MODULAR OUTFEED CONVEYOR STANDS [CENTER SUPPORT Q5 NORTH]

329	LOT: (2) 2016 ULAMATIC LEAK TEST STATIONS ONE WITH 6 MAHR FEDERAL TESTERS, ONE WITH 2 MAHR FEDERAL TESTERS AND 4 MAHR AIR GAUGES, PLUS 2 INTERTECH TEST STATIONS EACH WITH INTERTECH MODEL M1075Y CONTROLS, CYMAQ AS400 ENGRAVERS AND SMC DRYERS, PLUS 6 POWERED BELT CONVEYORS 9'X 18INCH [JL REAR]
330	2016 RANSOHOFF GENERAL PURPOSE PASS THROUGH WASHER, 26INCH X 12INCH OPENING, 500 GALLON TANK CAPACITY, FILTRATION SYSTEM, ALLEN BRADLEY CONTROLS, SN 5699, INCLUDES 2 AEROEX OIL MIST FILTERS AND CUSTOM MADE AIR BLOWOFF STATION [JL FRONT].
331	2014 BRICAN HIGH PRESSURE, 1000 PSI PASS THROUGH WALKING BEAM WASHER, 2 DIGITAL TEMPERATURE CONTROLS, POWER OF LARGEST COMPONENT 50 HP, SN 3039307, INCLUDES: BLACKSTONE-NEY ULTRASONICS DIP TANK CLEANING STATION MODEL AS 4000, SN A703328-B4H, PLUS 2 AEROEX ROX 2000 OIL MIST FILTER STATIONS ON TOP OF MEZZANINE [HFV6].
332	MEZZANINE, APPROX: 14' X 13' X 10' (TO MEZZ FLOOR) [HFV6].
333	2007 RANSOHOFF WASHER, MEDIUM PRESSURE, PASS THROUGH WASHER, 12INCHW X 16INCH H OPENING, CONVEYOR, SN 4828 [CENTER SOUTH COLUMN S9].
334	2004 MIDBROOK MODEL 5018 W/R/BO, GENERAL PURPOSE PASS THROUGH WASHER, APPROX. 21INCH W X 9INCH H OPENING, 532 GALLON TANK CAPACITY, FILTRATION SYSTEM, AEROEX OIL MIST FILTER, ALLEN BRADLEY PANEL VIEW 550 CONTROLS, SN 44662 INCLUDES 2004 KOOLANT KOOLERS CHILLER APPROX 10 TON, MODEL HAV5,000P-SS-L-M-AT, SN 20386 [JL REAR].
335	2004 RANSOHOFF IN PROCESS CLEANING AND DEBURRING SYSTEM, APPROX. 16INCH W X 9INCH H OPENING, W HAMMELMAN HP PUMP AND NLB SPINJET ASM, FILTRATION SYSTEM, ALLEN BRADLEY PANEL VIEW 600 CONTROLS, SN 4355 [CENTER SUPPORT COLUMN 05].
336	PROCECO WASHER, MODEL MBCW 24_16-E-4W-2R-BO/CD-SS, MODULAR BELT CONVEYOR WASHER HIGH PRESSURE, 500 PSI, MAX 750 LB CAPACITY, APPROX. 20INCH W X 3INCH H OPENING, FILTRATION SYSTEM, INCLUDES STEEL MEZZANINE APPROX. 11'X 7.5' X 8' TO MEZZ FLOOR, SN 02-602 [SOUTH WALL COLUMN U7].
337	2005 PROCECO WASHER, MODEL ICW 18-4HPW-BO, IN-PROCESS CLEANING AND DEBURRING SYSTEM, APPROX 24INCH X 16INCH OPENING, W HAMMELMAN HP PUMP & amp; NLB 1300E SPINJET ASM, FILTRATION SYSTE, SN 05-503, INCLUDES ATTACHED ABB ROBOT MODEL S4CPLUS M2000, SN 14M-27018 [SOUTH WALL COLUMN S12].
338	2005 RANSOHOFF LEAN-VEYOR, GENERAL PURPOSE PASS THROUGH WASHER, APPROX. 12INCH X 12INCH OPENING, SN 4609 [CENTER SUPPORT COLUMN Q5].
339	2014 MAGNUM AUTOMATION OVERHEAD CONVEYOR BUFFER LINE, WITH DROPS TO CNC MACHINES, WASH, INSPECTION STATIONS, APPROX. 500' TOTAL, HUNG FROM CEILING, INCLUDES PACLINE C250 OVERHEAD CONVEYOR, APPROX. 100' [HFV6].
340	CIRRUS CONVEYORS OVERHEAD CONVEYOR LINE, APPROX. 150', INLCUDES STEEL STRUCTURE FRAMEWORK [CENTER SUPPORT].
350	LOT 3 MOTORS - ACCU 25HP: MOTOO45RP (REBUILT), WEG W21 MODEL: 00518E03E184T: M0T0059, LEESON: MOT0047
-	

351	NEW X&Z AXIS WEIGH COVER FOR MORI SEIKI MODEL: SH403
352	2-AXIS LINEAR GUIDE FOR OKUMA MODEL: LT3000EX (NEW IN CRATE)
353	COOLANT MOTOR
354	NEW SETCO SPINDLE (REBUILT), MORI SEIKI SH5005, MODEL: PH00602RP S/N:
	S000001102
355	NEW SAUTER MODEL: 108494 B-AXIS TABLE (REPAIRED)
356	NEW 2 ST. FEDERST AHL BANDS 140X1.5X3510 PART # GKU-50113-010 (DCM0494
357	SAUTER 0.5.450.420 INDEXING TURRETS (CES0704-6RP) S/N: 118960
358	NEW DMG OIL COOLER UO714-1A03 (JL0456
250	NEW NLB PRESSURE WATER JETTING SYSTEM MODEL: DM21552 S/N: 39728, MAX
359	PRESSURE OKPSI/690 BAR
360	2 SETCO SPINDLES (62T0309RP)
361	SAUTER 0.5.450.412 TURRET #1D 113855
	DAIKIN AKZ148 200/22V REFRIGERATED OIL COOLING CHILLER UNIT (REFURBISHED)
362	
2.52	PALLET OF TOOL POT CHAIN NO-1-20, Y82050A03, Y82049A03, CHAIN OF 40 TOOL
363	POT NO-21-40, CHAIN LINK UNIT W/TOOL HOLDERS
364	SPINDLE WORKHEAD FOR STUDER GRINDER MODEL #S151 (62T0882)
365	ACCU BLOWER MOTOR 60HZ 13,500 RPM 23.6 HP, S/N: 122016
266	AMETEK ROTRON REGENERATIVE BLOWER MODEL: DR909BB86X PART#080183,
366	60HZ
367	USED ATC GEAR BOX HFV60404RP
368	GEAR BOX ASSEMBLY FOR MISTUBUSHI LATHE MODEL # SE25A (CES 0926)
	NEW LINEAR SCALE X-AXIS (NHX4000) INCLUDING MITSUBISHI CONTROL 730BM,
369	E72143A SCALE, E73991B CABLE, E73994B CABLE, B4301102A BLOCK, Y01035A (9
	PCS.) CAPBOLT, MACHINE #: 7015NHX40KE0122J
	DMG SIEKI - JL0653 PROTECTIVE COVER, COOLANT NOZZLE W/BALL JOINT ROUND,
370	PLASTIC, ATC-DOOR-JL FRONT 8,9,10, COVER FOR AUTOMATIC TOOL CHANGER
	MILLING MACHINE NH5000-908-912M
371	SETCO DMG MORI NHX5000 RPM 12,000 S/N: SX8269
372	NEW DMG SPINDLE CART & DRAWBAR ASSEMBLY S/N: SX9082 (PRICE
3/2	\$12,500.00)
373	MOTOMAN YR HP6-A00, 6 KG. (SRV13374) *HFV60199) W/POWER SUPPLY
3/3	SN#RH9520-5022
374	FANUC BUILT-IN SPINDLE MOTOR, SPINDLE ASSEMBLY MODEL: BIL 112L/15000
375	SATELLITE CYLINDER SYSTEM 50-TON HYPER CYLINDER (HFV60290RP) (REPAIRED)
376	2 AXIS WEIGHT COVERS WITH 24INCHX22INCHX13INCH Y-AXIS COVER, HANE
370	HYDRAULIC MOTOR & amp; BASE AND COVER SLIDING FOR Z-AXIS
377	SAUTER #0.5.450.220 TURRET id# 110412
378	FANUC SPINDLE ASSEMBLY BUILT-IN SPINDLE MOTOR MODEL: BIL160LL/13000
379	PALLET OF GM MOLDS
380	PALLETS - ASST. PARTS INCLUDING DMG MORI DOOR, SMALL SPINDLE PART, SMALL
	BAR, 2 COOLANT PUMPS
381	PENTASTAR CAV#30 SPINDLE MOTOR ONLY, MB5000
382	SETCO SPINDLE ASSEMBLY, DMG-KESSLER DMC50, RPM, 18,000 S/N: 157405
383	WEG 60HZ INVERTER DUTY MOTOR W22

384	SMALL ELECTRIC MOTOR
385	SETCO ATC GEAR BOX FOR SPINDLE S/N: 110349
386	CONTROL PANEL FOR DMG MODEL: CTV250 (CES0951)
387	ATC GEAR BOX FOR MAZAK MODEL: VCN510 (PH00639)
388	GUSHER PUMPS MODEL: 11031-NS-A S/N: 1288-755 (REPAIRED)
389	CRATE W/SAUTER TURRET INDEXING 0.5.675.116 ID#: 116058 & amp; HOSE REEL W/HOSE
390	DM KESSLER DMC50H SPINDLE, RPM 18000 S/N: 159128
391	DAIKIN INVERTER OIL COOLING UNIT AKZ439 (2021 PROD. YEAR) W/SMC AIR DRYER IDFB15E-11N
392	NEW M5 OIL COOLER SH-403 MACHINE #: 6330SH400AD1491J
393	BUHLER DCM0739 TIE BAR SPLIT NUT
394	PALLET W/WEG W22 INVERTER DUTY MOTOR & amp; FHP SHEAVES, MVP-B SHEAVE, NEW CABLE TRACK
395	STATOR & amp; FLANGE SET MOTOR SPINDLE 12,000 RPM, NHX40SETR37421A - NHX4000
396	(CESO704RP) PINK INDEXING TURRET
397	SPINDLE - ATC40 GEAR BOX, TOYODA MODEL: FH450 (EAG0098RP)
398	SAUTER INDEX TURRET
399	TOX POWER PACKAGE W/HYDRAULIC END POSITION DAMPING CYLINDER MODEL: \$15.30.400.22D S/N: 3819253 (FOR LEAK TESTER)
400	PALLETS OF ASSORTED PARTS INCLUDING: BOX W/TRACK, BEARING IN BOX, ASST. DOORS, PANELS, HANE HYDRAULIC PUMP, NEW DMG MORI SPINDLE (SMALL) CRATE W/ASST. USED PARTS & DEW INDEXING UNIT IN BOX & DEW Z AXIS COVER
401	SUB SPINDLE MAIN 42 S/N: S257108
402	REXROTH BOSCH GROUP CONVEYOR UNIT SE 2/C, LENGTH 640.000 MM
403	TOSHIBA PREMIUM GOLD MOTOR E3P-25-22-S14OG S/N 19D0865
404	CENTRIFUGAL PUMP HORIZONTAL MULTI-STAGE (HFV6055-4RP)
405	LOVEJOY (MOTT009RP) 125 HP MOTOR, TYPE - K21R 280 S4LLTWSHW 575V, 1,175 RPM
406	LARGE SPINDLE
407	2 PALLETS INC. AMETEK MOTOR MODEL: DR909BB86X MAX. 60 AMPS HZ, SMALL WEG W22 MOTOR, BUCHER HYDRAULIC ACCU ELECTRIC MOTOR, HEAT EXCHANGER, ACC UNIT, 2 COVERS
408	WATT SAVER PREMIUM EFFICIENCY INVERTER DUTY MOTOR MODEL: C184T17FB61A, 5 HP
409	BROOK CROMPTON MOTOR, 60HZ, S/N: KH707252, PART NUMBER 200W000399T
410	AMETEK 7.5 HP MOTOR DR858A486X, TECHTOP FARM DUTY SINGLE PHASE MOTOR FDR504C-C-01 & amp; CONTROL BLOCK
411	4 CRATES OF LINEAR MOTION TRACK W/ORANGE COUNTER BALANCE
412	PALLETS OF 5 HYDAC COOLING CELLS
413	LEESON ENERGY SAVING ELECTRIC MOTORS MODEL 108703100 ENF S/N: 1513473010-00002-1320
414	MAKINO SPINDLE PART # 27M12B-C5J3-W
415	SETCO DMG-TWIN 32 SUB SPINDLE S/N: 5247070
_	

416	SAUTER INDEXING TURRENT 0.5.450.412 ID#: 113855
417	SAUTER INDEXING TURRET 0.5.675.116 ID#116058
418	SETCO DMG TWIN 32 SUB SPINDLE
	GRUNDFOS PUMP & amp; MTR MOTOR ML90HA-2-182TC-H3, A-WB-A-HUUV S/N:
419	DE6306-2Z-C3
420	ATC GEAR BOX #29-90600-907-2 (JL0250RP)
421	CINCINATTI FAN MODEL: WAF15 RAM POWER SYSTEMS S/N: 1603571
422	MPT MOD SPINDLE
	LOT INCL. LARGE STEEL WEIGHT MILLER FOOT PEDAL, LINEAR MOTION TRACK,
423	(DMC0740) LARGE CRATE TIE BARS SPLIT UNIT, (ABB0130) AXIS 1 GEAR BOX FOR
	IRB600, (JL0652) Z-AXIS COVER FOR MORI SEIKI MODEL: NHX5000
424	VEN MOTOR, MOTOR #: 128525/00044, 60 HZ, MFG. 07/2004, W/ABB COUNTER
424	BALANCE & amp; SMALL SUMITOMO PRECISION PRODUCTS MOTOR
425	ATC AUTOMATIC TOOL CHANGER U1812A08, S/N: G18002781913 ID#: A19C33750
426	PALLET W/2 DORNER MOUNT PARALLEL DRIVE PACKAGE FOR STANDARD LOAD, 60 HX,
420	GEAR MOTORS, SEAL KITS, ELECTRICAL, FOOT PEDAL, STRAINERS
427	PALLET W/3 YELLOW CONTROL CABINETS, COOLANT PUMP VKA495AQ INDUCTION
	MOTOR, HOSE, RUBBER MATS AND LARGE STEEL COVER PLATE
428	SUPER DUTY BRINK PUMP & amp; MOTOR TH1106S280-A+180
429	NORD FLEX BLOC DRIVE SYSTEM MODEL: SKIS163
430	ABB ROBOTICS TYPE 1FK6083-6AZ21-9ZZ92S02 S/N: H610043711023
431	LARGE BOX OF REXROTH, BUHLER ELETRONIC & amp; ELECTRICAL COMPONENTS
.51	INCLUDING CABLES, CORDS, FITTINGS, ETC.
432	LARGE MORI SEIKI STEEL PROTECTOR COVER U30479, GEAR COVER SET & amp; DOOR
	PLATE
433	2 SPINDLES DMG MORI, INCLUDING NH5000DCG/40, S/N: 5131444
573	PORTABLE BUILDING 45'X30'X12'H W/10 WINDOWS, 2 OVERSIZED DOORS, 4 AIR
	CONDITIONERS, 1/2 PARTITION IN THE MIDDLE OF BUILDING INSIDE
574	PORTABLE BUILDING 16'X12'X9'H W/AIR CONDITIONER AND 2 WINDOWS AND 1 DOOR
	PORTABLE BUILDING (SHIPPING) 20'X10'X9'H, W/2 WINDOWS, 1 DOOR, AIR
575	CONDITIONER
	PORTABLE BUILDING (SHIPPING) 10'X8'X9'H W/2 WINDOWS, 1 DOOR, AIR
575A	CONDITIONER
	LOT OF 3 PORTABLE STRUCTURES, STEEL FRAME, PLEXI GLASS WINDOW, DOOR ON
575B	EACH WITH CUTOUTS FOR AIR CONDITIONERS OR WINDOWS 1 - 8'X12'X10'H, 1 -
	8'X12'X9'H (YELLOW), 1 - 12'X12' WITH 4' ANGLE IN FRONT X9'H, ALL WITH
	ELECTRICAL OUTLETS