

Auction Catalog

Radiant Technologies

Auction Date:

Tuesday, Jun 13 2023

Bidding Opens June 13, and Bidding Starts To Close June 27, 11am ET.

Online Only Timed Auction via Bidspotter.com

Bidding Starts: 11:00 AM EDT

Please visit our website for complete Terms & Conditions

**Auction conducted in Canadian Currency
18% Buyer's Premium Applies**

**Payment via: wire transfer, interac e-transfer
Payment Deadline: Wednesday June 28**

**Removal Deadline: All small (skid size and under) items by Friday July 7
All large items by Friday July 14
Removal Hours: M-F 9 am - 5 pm,
Weekends by Appointment**

**Buyers are responsible for safely removing all purchases on time.
Insurance and Safety Documentation Required**

**Lots 1 - 162 Located in Radiant Building #1, access requires sign in.
Lots 166 & 167 - Located in Lucky Lake, Saskatchewan (inspection available by appt.)
Lots 170 - 400 - Located in Radiant Building #2
Note: Building #2 is unfinished, use caution as hazards exist.**

Machinery Movers:

**Rusty's Equipment & General Hauling - Doug Manuel - 780-288-7770 - rustysltd@gmail.com
Wingenback Ltd - Cory Laporte - 780-405-6724 - coryl@wingenback.com**

Workingman Capital Corp
120 Adelaide Street West Suite 2500
Toronto, ON M5H 1T1 CA

Phone: +1 416-847-7336
Email: info@workingmancapital.com

| Lot Number | Quantity | Description |
|------------|----------|--|
| 1 | 1 | AGILENT TECHNOLOGIES MODEL 6890N NETWORK GAS CHROMATOGRAPHY SYSTEM, SN CN10429018, INCLUDES 2018 PAL RSI 85 ROBOTIC ARM, SN CH00458050, INCLUDES DELL COMPUTER AND MONITOR AND SAMSUNG PRINTER (EXCLUDES TANKS). |
| 2 | 1 | SHIMADZU MODEL TOC-V WP TOTAL ORGANIC CARBON ANALYZER, SN 00227, INCLUDES: SHIMADZU AZI-V AUTOSAMPLER, SN 00269, INCLUDES DELL COMPUTER AND MONITOR |
| 3 | 1 | AGILENT TECHNOLOGIES 1200 SERIES SYSTEM INCLUDING: DEGASSER SN G1322A, QUATERNARY PUMP SN G1311A, ALS G139A INFINITY SERIES SN G1329A, FC/ALS THERM SN G1330B, TCC SN G1316A, DAD SN G1315B, INCLUDES DELL COMPUTER AND 2 MONITORS AND AGILENT TOOLBOX |
| 4 | 1 | AGILENT TECHNOLOGIES 1100 SERIES SYSTEM INCLUDING: DEGASSER SN G1322A, QUATERNARY PUMP SN G1311A, ALS SN G1313A, COL COMP SN G1316A, DAD SN G1315A, INCLUDES DELL COMPUTER AND 2 MONITORS AND BROTHER PRINTER |
| 5 | 1 | AQUATRON A4000D WATER STILL, SN R000100518, INCLUDES 2 FILTERS |
| 6 | 1 | METTLER TOLEDO MULTI-PARAMETER, MODEL QC-PHEC1 SEVEN EXCELLENCE, SN BB03293979 |
| 7 | 1 | BAXTER SCIENTIFIC PRODUCTS S/P VORTEX MIXER, CAT S8223-1, INCLUDES ASSORTED PASTEUR PIPPETS, STAND WITH 2 DROPPER INJECTORS |
| 8 | 1 | 4 UNITS INCLUDING: (1) AGILENT TECHNOLOGIES 11MM CRIMPER PART NO 5040-4667, (1) AGILENT TECHNOLOGIES 11MM DECAPPER PART NO 5040-4668, (1) THERMO SCIENTIFIC 20MM DECRIMPER, (1) THERMO SCIENTIFIC CRIMER, 20MM, INCLUDES 5 BOXES OF VWR CAPS |
| 9 | 1 | AQUALAB 4TE WATER ACTIVITY METER, SN AL400009833, INCLUDES QC INCUBATOR SN 028-16030 AND EPSON LABEL PRINTER |
| 10 | 1 | HYGIENA ENSURE TOUCH INSPECTION MACHINE, SN 43994 |
| 11 | 1 | CORNING LIFE SCIENCES CENTRIFUGE MODEL CORNING LSE, SN 74175132 |
| 12 | 1 | CARON ENVIRONMENTAL CHAMBER, MODEL 7000-33-1, INTERIOR DIMENSION 32 X 25 X 66 IN, W 5 TRAYS, SN 7000-33-1-286, INCLUDES CARON CONDENSATE RECIRCULATOR MODEL CRSY102-1, SN CRSY102-1-1120 [NOTE: HANDLE MUST BE REMOVED TO EXIT ROOM] |
| 13 | 1 | VWR FREEZER MODEL FFS-04, SN HQ-VWR-18A3521-1801-V52 |
| 14 | 1 | VWR FREEZER MODEL FFS-04, SN HQ-VWR-18B2290-1802-V52 |
| 15 | 1 | PRECISION STONE TABLE 35 IN W X 24 IN D X 3 IN THICK X 31 IN HIGH, INCLUDES NALGENE 4 TRAY CHAMBER AND ASSORTED BINS AND CONTENTS INCLUDING HEAT GUN |
| 16 | 1 | ULINE PORTABLE 2 DOOR STORAGE CABINET W 4 TRAYS (EXCLUDES CONTENTS) |
| 17 | 1 | 2017 VWR OVEN CHAMBER MODEL F AIR 3.65 CU FT, 250 DEG C, SN 42162776 INCLUDES TRACEABLE DIGITAL THERMOMETER |
| 18 | 1 | LABCONCO FUME HOOD W ACID STORAGE CABINET |
| 19 | 1 | LABCONCO FUME HOOD W ACID STORAGE CABINET |
| 20 | 1 | MANDEL VORTEX MIXER MODEL BV1000, SN 18081902 |
| 21 | 1 | VWR SYMPHONY ULTRASONIC CLEANER MODEL 97043-996, SN 1813E3321 |
| 22 | 1 | OHAUS PIONEER SCALE MODEL PA114 FROM .0001 GRAM - 110 GRAM |
| 23 | 1 | METTLER TOLEDO DIGITAL SCALE MODEL PL 602E, .01 - 620 GRAMS, SN B639485293 W CALIBRATED WEIGHT SET |
| 24 | 1 | IKA MODEL C-MAGHS4S1, SN |
| 25 | 1 | METTLER TOLEDO BT-P42 PRINTER, SN B309078915 W POLAROID DIGITAL CAMERA |
| 26 | 1 | LOT ASSORTED LAB GLASSWARE IN BINS, UPPER CABINETS, LOWER CABINETS, ALL CONSUMABLES IN LOWER CABINETS [ALL TO THE RIGHT OF THE SINK] |

| | | |
|----|---|--|
| 27 | 1 | BROTHER P TOUCH D600 LABEL MAKER, PC CONNECTABLE, SN U64053H7Z773352, PLUS ASSORTED LAB COATS, RESPIRATORS, MICROFIBER PADS, PLASTIC BAGS AND DISPOSABLE SYRINGES |
| 28 | 1 | LOT 3 LAB CHAIRS AND 1 STOOL, PLUS CERAMIC ELEMENT SPACE HEATER AND FOOD SAVER BAGGING MACHINE |
| 29 | 1 | (2) SS PORTABLE SINKS, 4 FT W X 2 FT D X 5 FT H |
| 30 | 1 | OPEN LOT |
| 31 | 1 | OPEN LOT |
| 32 | 1 | 2013 RETSCH MILL MODEL PM 100, PART NO 20.540.003, SN 1213210805K |
| 33 | 1 | EPPENDORF CENTRIFUGE MODEL 5810R |
| 34 | 1 | EPPENDORF CENTRIFUGE MODEL 5810 |
| 35 | 1 | SAVANT CENTRIFUGE SPEEDVAC PLUS MODEL SC210A-120, SN SC210A-4G300192-1E |
| 36 | 1 | (2) VWR RECIRCULATOR CHILLER MODEL RS232, 1173PD, SN'S 108500120, 109800780 |
| 37 | 1 | BUCHI RECIRCULATING CHILLER TYPE F-114, SN 644211 |
| 38 | 1 | BUCHI ROTA VAPOR MODEL R210, SN 0800016030 |
| 39 | 1 | THERMOPREP MODEL 860 KF METROHM W METROHM 831KF COULO METER, W 728 STIRRER, 831 KF KEYBOARD, PLUS LABCONCO 10 IN X 10 IN FILTER BASIN AND FISHER SCIENTIFIC FILTER, SOCKET SET |
| 40 | 1 | ASCEN TECNOLOGIC K 32 CHILLER, THERMAL CONTROL, PART NO K105006 |
| 41 | 1 | (2) BUCHI RECIRCULATING CHILLERS TYPE F-305, SN'S 1713017, 1711517 |
| 42 | 1 | HUNTERLAB ULTRASCAN VIS, SN USVIS2165 |
| 43 | 1 | THERMO SCIENTIFIC SPECTROPHOTOMETER MODEL G10SUV-VIS, SN 2L5N173005 |
| 44 | 1 | MALVERN MASTERSIZER PARTICLE SIZER MODEL 3000 W SPARE AERO HANDLE, MALVERN AERO S UNIT, PLUS GREEN BIN W ASSORTED PARTS, DISPOSABLE FOLDED CAPILLARY CELLS, SMALL PARTS ETC. |
| 45 | 1 | (2) VWR SCIENTIFIC PRODUCTS POLY SCIENCE LAB BATHS W DIGITAL AND ANALOG CONTROLS |
| 46 | 1 | AGILENT TECHNOLOGIES GAS CHROMATOGRAPHY (GC) SYSTEM MODEL 7890A, SN US11241031, INCLUDING AGILENT TRIPLE AXIS DETECTOR MODEL VL MSD MODEL 5975C, SN G31B1914, PLUS DELL PC TOWER |
| 47 | 1 | LOT NOVAFLEX SANITARY HOSES, 6403 UHMW FOOD 200 TRANSFER SUCTION AND DISCHARGE, 200 PSI MAX WP, MEETS FDA REQUIREMENTS, ON SS RACK APPROX 4 FT W X 11 FT H |
| 48 | 1 | HERAEUS INSTRUMENTS BIO FUGE PICO, SN 255186 |
| 49 | 1 | BUCHI HEATING BATH MODEL B-491, SN 1000082194, INCLUDES M1 CLASS CONTROL BOX W DRO |
| 50 | 1 | VACUU BRAND CHEMISTRY HYBRID PUMP MODEL RC6, SN 37857712 |
| 51 | 1 | WELCH GEM MODEL 1.0 VACUUM PUMP |
| 52 | 1 | FISHER SCIENTIFIC ULTRASONIC CLEANER MODEL FS60, SN RUB09104545B |
| 53 | 1 | EAGLE STAINLESS STEEL TANK MODEL KTT-CTL-36, 35 LITER CAPACITY, HEAT #N66699, 15 IN DIA X 18 IN HIGH |

| | | |
|----|---|--|
| 54 | 1 | 2017 THERMO SCIENTIFIC EXACTIVE SERIES MASS SPECTROMETER, MODEL Q EXACTIVE PLUS, SN 07354L, INCLUDES: PEAK SCIENTIFIC GENIUS NM32LA, NITROGEN GENERATOR INSTRUMENT, SN 770003068, 2017 LEYBOLD SOGEVAC PUMP MODEL SV 40/65 BIFC W THERMO SCIENTIFIC SOUND ENCLOSURE, ASSORTED THERMO SCIENTIFIC COMPONENTS, CABLES, DELL PC, UPS BATTERY BACKUP, (3) FISHER SCIENTIFIC VANQUISH DAD FLOW CELL TEST, OPTON APCI PROBE ION MAX SOURCE. |
| 55 | 1 | WELCH 1376 DUO SEAL VACUUM PUMP, AND SOGEVAC SV40B VACUUM PUMP |
| 56 | 1 | (2) PFEIFFER VACUUM PUMP DUO LINE PUMPS, MODEL DUO 2.5 |
| 57 | 1 | MICRO MOTION MASS FLOW SENSOR SN 14797423, W MICRO MOTION TRANSMITTER |
| 58 | 1 | LOT OF 2 COMPUTER TOWERS, 2 PRINTERS, BROTHER LABEL PRINTER NEW IN BOX, BOX OF CABLES AND KEYBOARDS, PLUS EMPTY RUGGED CASE |
| 59 | 1 | BUCHI ROTAVAPOR R-250 EX, TYPE S8621D542, 2003, SN 416975010001 INCLUDES BUCHI APPROX 17 IN GLASS CONTAINER AND 15 IN GLASS CONTAINER |
| 60 | 1 | TEMA SYSTEMS SOLVENT RATED CENTRIFUGE TYPE CONTUREX MODEL H400K, BASKET ANGLE 10 DEGREES, DESIGN SPEED 2370 RPM, MAX SPEED 2850 RPM, 25 HP, SN 001285 INCLUDES TOOLBOX AND BOXES |
| 61 | 1 | LABCONCO FREE ZONE 4.5 - 105 DEGREE CELSIUS VACUUM REFRIGERATOR, SN 140390263 |
| 62 | 1 | RETSCH MODEL SM 300 ROSTHEI, SN 12180502060 |
| 63 | 1 | THERMO SCIENTIFIC HERA THERM OVEN, 330 DEG CELSIUS, SN 42214602 |
| 64 | 1 | 5 SHELF RACK INCLUDING CONTENTS: TOOLS, TOPFLO VALVES, MANUAL BOTTLE FILLER, PUMP HEADS, 2 SS SCOT PUMPS ON FRAMES, SS BUCKETS, 5' PIPES W VALVES |
| 65 | 1 | 2018 MALVERN ZETA SIZER SERIES NANO 25, MODEL ZEN 3600, SN MAL 1198366 |
| 66 | 1 | SCIENCE WARE BEL-ART PRODUCTS 19 IN X 19 IN PLATE, SN J0106 |
| 67 | 1 | 5 SHELF ULINE RACK W (3) VWR SCIENTIFIC PRODUCTS & FISHER SCIENTIFIC MODEL VORTEX GENIE 2, HANDHELD UV LAMP, FAITHFUL STIRRER, FILTER PUMP, ARBOR PRESS, WEIGHTS |
| 68 | 1 | 2019 BUCHI PURE C-850 FLASH PREP, SN 1000339355 |
| 69 | 1 | SHIMADZU IRSPIRIT FOURIER TRANSFORM INFRARED SPECTROPHOTOMETER, MODEL QATR-S SINGLE REFLECTION ATR ACCESSORY, SN A224156, W DELL PRECISION TOWER 3620 AND BOX OF ASSORTED PARTS AND PAPERWORK |
| 70 | 1 | AGILENT SERIES 1100 SYSTEM INCLUDING: COLCOMP G1316A SN US64401287, COLCOM G1316A SN DE43648226, ALS G1313A SN US64400940, QUATPUMP SN US64401144, ALS G1313A SN DE23922082, BIN PUMP G1312A SN DE14910214 AND TRAY |
| 71 | 1 | AGILENT TECHNOLOGIES 7890A GAS CHROMATOGRAPHY GC SYSTEM (G3440A) SN CN10953056 |
| 72 | 1 | WATTSINE SOLID STATE MICROWAVE GENERATOR |
| 73 | 1 | AGILENT 1200 SERIES SYSTEM INCLUDING: DAD G1315D SN DE64261412, DAD G1315D SN DE64260560 TAG SAYS FAN NOT WORKING, DEGASSER G1322A SN JP73065356 |
| 74 | 1 | (3) AGILENT TECHNOLOGIES 7693A AUTOSAMPLERS, W AGILENT TECHNOLOGIES 1260 INFINITY RID G1362A SN DEAA602385 |
| 75 | 1 | THERMO SCIENTIFIC REACTI-THERM III #TS18823 HEATING STIRRING MODULE W THERMO SCIENTIFIC REACTIVAP #TS-18826 EVAPORATION UNIT, BROOKFIELD AMETEK VISCOMETER DV-1, MANDEL VORTEX MIXER, BROOKFIELD LV EZ LOCK SPINDLE SET, VISCOSITY STANDARD, VIAL CAPS |
| 76 | 1 | (2) MUEGGE-GERLING WG ADAPTOR SN 1911003, BOX OF CABLES, REOTEMP INSTRUMENTS DIAL, ASSORTED CABLES AND CONNECTORS |
| 77 | 1 | 2015 THERMO SCIENTIFIC DIONEX ULTI MATE 3000 UHPLC FOCUSED SYSTEM INCLUDING: AUTOSAMPLER DEVICE WPS-3000TSL ANALYTICAL SN 8097448, PUMP DEVICE LPG-3400SD SN 8100475, COLUMN COMPARTMENT DEVICE TCC-3000SD SN 6004545, DIODE ARRAY DETECTOR DEVICE DAD 3000 SN 8134435 AND SOLVENT RACK DEVICE SR-3000 SN 7265837 |
| 78 | 1 | OLYMPUS LAB MICROSCOPE MODEL BX 40, SN 3801799, INCLUDES OLYMPUS LAMP MODEL U-ULS100HG, SN 3M07813 |
| 79 | 1 | MILLI-Q BIOCELL MILLIPORE, CAT NO ZMQS60F0Y, SN F1AN700481B W 2 EPPENDORF RACKS |

| | | |
|-----|---|--|
| 80 | 1 | OHAUS SCALE MODEL AP250D, CAPACITY 210G, SN 1122372118 W TROEMNER 2 KG CALIBRATED WEIGHT |
| 81 | 1 | LEICA MARK II ABBE REFRACTOMETER, SN 12766-5 |
| 82 | 1 | MALVERN HYDRO MV MODEL MAX3210, SN MAL1193781 |
| 83 | 1 | 2012 SAIREM MODEL PCCMWR340PVMR1PE, SN 302.0812, MODEL TGCPWR340RNP1A, SN 220.08.12, W SAIREM MICROWAVE SURVEYMETER, SAIREM MINIFLOW 200 SS, SN 45199-22-18-001, INCLUDES HARVARD APPARATUS PUMP 2 ELITE SN D-303964, NETWORK SWITCH, RHEODYNE HEALTH AND SCIENCE REMOTE SN A000048465, CHEMYX FUSION 101 SN 92946, FISHER SCIENTIFIC FILTER |
| 84 | 1 | HEIDOLPH UNIMAX 2010, SN 050102234 |
| 85 | 1 | FISHER SCIENTIFIC TRACEABLE MANOMETER/PRESSURE/VACUUM GAUGE, RANGE 0-100 PSI, SN 61926712 |
| 86 | 1 | SAIREM IFP 2450 MHZ MICROWAVE SURVEY METER |
| 87 | 1 | OPEN LOT |
| 88 | 1 | OPEN LOT |
| 89 | 1 | LOT ASSORTED STAINLESS STEEL TEOP FLO VALVES, FITTINGS, CLAMPS, 1.5 - 2 IN BLINDS, .5 IN TO 2 IN CLAMPS, CABLES |
| 90 | 1 | (10) SECTION ULINE RACKING, APPROX 6 FT X 6 FT X 2 FT, WIRE MESH DECKING (DELAYED DELIVER UNTIL ITEMS REMOVED), (1) SECTION 6 FT X 6 FT X 36 IN, 1 HD BLK WHALEN RACK |
| 91 | 1 | PRECISION PRESS W HAND CRANK AND METAL ROLLING TABLE |
| 92 | 1 | LOT AVAYA IP PHONES INCLUDING: (20) MODEL J39 05, (1) J169 01, (1) 9504 |
| 93 | 1 | LOT 3 ASST VACUUMS, GARRISON DEHUMIDIFIER, 3 ASSORTED BOXES OF FIRST AID MASKS, RECYCLING BINS |
| 94 | 1 | CARBTRON / CINCINNATI FAN DUST COLLECTOR MODEL PB-10A, SN 1103985 ON CASTERS, W NILFISK PNEUMATIC DRIVE VACUUM ON CART [NOTE: SPARE CARBTRON FILTERS IN LOT 337, SOLD SEPARATELY AND LOCATED IN BUILDING 2] |
| 95 | 1 | 2018 HIRAYAMA AUTOCLAVE MODEL HICLAVE HVA-110, SN 31918051712 |
| 96 | 1 | BUCHI SOLVENT RATED MINI SPRAY DRYER MODEL B-290, SN 1000176608 W BUCHI INERT LOOP MODEL B-295 SN 1000215334, W SPARE GLASS ETC COMPONENTS |
| 97 | 1 | 2018 GLATT FLUID BED DRYER, MINI, SN 16403, W STAINLESS STEEL TABLE |
| 98 | 1 | ULINE 5 SHELF WIRE RACK WITH CONTENTS INCLUDING: ROCKLER ROUTER SPEED CONTROL, IKA WERKE RW 16 SPEED CONTROL MIXER, BUCHI HEATING BATH, ASSORTED PACKAGING, ULINE TOOLBOX, |
| 99 | 1 | UTI SOFTWALL CLEAN ROOM OUTER DIMENSIONS 100 IN X 100 IN X 108 IN, W FANS ON TOP AND SPECTRUM FILE - E48 1600 CAMERA,TYPE 4X, SN 083704112018 |
| 100 | 1 | RICE LAKE 4 FT X 4 FT ROUGHDECK SCALE, 5000 LB CAPACITY, SN 122268, W DRO AND DRIVE ON RAMP |
| 101 | 1 | OSKAR AIR PRODUCTS FLEX FUME EXTRACTION ARM |
| 102 | 1 | (2) IKA RW 20 DIGITAL MIXING HEADS W STANDS, PLUS (2) 4 FT X 2 FT X 3 FT SS TABLES, KITCHEN AID MIXER, HEAT PLATE, GRINDER, PUMP, PACKAGING MATERIAL |
| 103 | 1 | DRY MATERIAL FEEDER, W LID, VARIABLE SPEED CONTROL, APPROX 1 CUBIC METER CAPACITY, W LOAD CELLS OUTSIDE ENVELOPE APPROX 80 IN X 45 IN X 72 IN H, ON HD STAINLESS STEEL FRAME, APPROX 45 IN W X 50 IN DEEP X 100 IN HIGH, STAHL DIGITAL CONTROL PANEL ON WALL |
| 104 | 1 | SOLVENT SYSTEM INCLUDING 2018 LETINA SS TANK TYPE Z2000 HV11, 200 L CAPACITY, SN 126317/7, BLUE STTEEL FRAME W COOLING SYSTEM |
| 105 | 1 | CONTINUOUS EXTRACTOR, FOR BIOMASS AND SOLVENT, APPPROX 12 FT TOTAL LENGTH, INCLUDES HD SS FRAME APPROX 52 IN H X 10 FT LONG, AND TRIANGLE SHAPED HD SS FRAME APPROX 4 FT X 8 FT H, INCLUDING MOTORIZED ROTARY VALVE |
| 106 | 1 | (4) SHARPE CF8M CONTROL VALVES, (4) TRIAD ACTUATORS MODEL 2R200SRLT4, SPRING RETURN RACK AND PINION ACTUATOR, ISO MOUNT W DOUBLE TRAVEL STOPS, 4 SPRINGS PER SIDE AND LOW TEMP SILICONE SEAL KIT FOR 2R200, AND (4) TRIAD APL-520N DISPLAYS |

| | | |
|------|---|---|
| 107 | 1 | 2018 MICRO MOTION MASS FLOW SENSORS: MODEL F100SB17C2BAEZZZ, FLOW CAL 275.994.67, SN 14785449 IN EXTRACTION ROOM, MODEL F050S322C2BAEZZZ SN 14796846 IN CONCENTRATOR ROOM |
| 107A | 1 | 2018 MICRO MOTION MASS FLOW SENSORS, MODEL F050S322C2BAEZZZ SN 14796846 IN CONCENTRATOR ROOM BACK WALL |
| 108 | 1 | PLATE W (4) VEGADIS 82 LEVEL TRANSMITTERS, (4) VEGADIS 82 PRESSURE TRANSMITTERS, (4) ROSEMOUNT MODEL 644HAK6J6M4F6 TEMPERATURE CONTROLLERS |
| 109 | 1 | SKID WITH COMPLETE MIXING AND CONTROL SYSTEM INCLUDING 2015 LEE INDUSTRIES DOUBLE ACTION KETTLE 80 GALLON CAPACITY, MAWP 20 PSIG AT 260 DEG F, SN 13223, 2014 HAPMAN CONTROL PANEL SN X14405 BB |
| 110 | 1 | MULLER 1650 L CAPACITY SS SOLVENT TANK W INSTRUMENTATION ON TOP |
| 111 | 1 | STAND ALONE VACUUM W SOLVENT RECOVERY SKID, WEG 7.5 HP MOTOR, MINI PURGE EXP CONTROL SYSTEM |
| 112 | 1 | ALL FLO PUMP MODEL SP-15-X44F W (3) SHELCO BAG FILTERS MODEL BFS-2SB-2TC-316-T ON SS PORTABLE STANDS |
| 113 | 1 | (3) GRACO SANIFORCE MODEL 1590, 2 INCH DIAPHRAGM PUMP ON SS CART |
| 114 | 1 | (2) GRACO SANIFORCE MODEL 515, 0.5 INCH DIAPHRAGM PUMP ON SS CARTS |
| 115 | 1 | DIAPHRAGM PUMP ON SS CART W ADDITIONAL CART W PARTS |
| 116 | 1 | FAIRBANKS SCALE MODEL 2800, ROLL ON RAMP, 907 KG CAPACITY, PORTABLE, SN 182060160027 |
| 117 | 1 | FAIRBANKS SCALE MODEL FS2, 450 KG CAPACITY, DUAL SIDED LOADING RAMP, PORTABLE |
| 118 | 1 | FAIRBANKS SCALE MODEL 2800, ROLL ON RAMP, 907 KG CAPACITY, PORTABLE, SN 182060160028 |
| 119 | 1 | FAIRBANKS SCALE MODEL 2800, ROLL ON RAMP, 907 KG CAPACITY, PORTABLE, SN 182060160029 |
| 120 | 1 | (2) OHAUS PORTABLE SCALES, DEFENDER 5000 EXTREME W, MAX 300 LB, SN B331627816, B331627798, BOTH ON ROLLING CARTS, ONE CART LIFTS |
| 121 | 1 | (3) WEIGHTED CARTS INCLUDING: (1) PRECISION 200 KG 18 IN X 24 IN, (1) PRECISION 100 KG 18 IN X 24 IN, (1) APPROX 200 KG 24 IN X 36 IN |
| 122 | 1 | FLOOR SCALE APPROX 4 FT X 4 FT, 5,000 LB CAPACITY, METTLER TOLEDO DRO |
| 123 | 1 | (9) SECTION PALLET RACKING, 9 FT BEAMS, 4.5 INCH HIGH BEAMS, APPROX. 10 FT HI X 42 IN DEEP (DELAYED DELIVERY UNTIL EMPTY) |
| 124 | 1 | INGLIS WASHING MACHINE AND KENMORE ELITE DRYER |
| 125 | 1 | INTERNATIONAL VAULT EXCALIBUR E2 UL CLASS 1 UI 608 RATING, LEFT HANG SWING VAULT DOOR, SN 10658011618EX, LEVEL 9 PRE-FAB VAULT, APPROX 17 FT WIDE X 21 FT DEEP X 16 FT HIGH |
| 126 | 1 | WALK IN COOLER, APPROX, 24 FT X 12 FT 6 IN X 9 FT HIGH, W GLOBAL INSULATED SLIDING DOOR, MAG LOCK, KEEPRITE REFRIGERATION UNIT |
| 127 | 1 | FISHER SCIENTIFIC ISOTEMP LABORATORY REFRIGERATOR, OUTSIDE 52 IN WIDE X 32 IN DEEP X 79 IN HIGH, 2 GLASS DOORS |
| 128 | 1 | FRIGIDAIRE UPRIGHT FREEZER 32 IN W X 27 IN D X 65 IN HIGH, W DANBY CHEST FREEZER 40 IN W X 21 IN DEEP X 32 IN HIGH |
| 129 | 1 | (7) ULINE STORAGE CABINETS, 2 DOOR WITH WINDOWS AND WITHOUT EXCLUDING CONTENTS |
| 130 | 1 | (2) BLUE ROLLING SAFETY LADDERS: 14 AND 8 STEP |
| 131 | 1 | YALE FORKLIFT 4,500 LB LPG, MODEL GLP050VXNVSE084, 48 IN FORKS, SIDE SIFT, 3 STAGE MAST, [DELAYED DELIVERY UNTIL JUNE 30] |
| 132 | 1 | YALE REACH TRUCK 3,500 LB CAPACITY, ELECTRIC, MODEL NR035DANM24TE095, 42 IN FORKS, SN A295N04326J W CHARGER |
| 133 | 1 | GENIE SCISSOR LIFT MODEL GS-2632, 500 LB CAPACITY, SN GS32P160753 |

| | | |
|-----|---|--|
| 134 | 1 | ZORIN DRUM JAK MODEL 9820 SPF, 1000 LB CAPACITY, SN 2017-VES |
| 135 | 1 | KARCHER PROFESSIONAL FLOOR CLEANER MODEL HDS-E 3.3/25-4MEF, W PRESSURE WASHER GUN ATTACHMENT |
| 136 | 1 | JOHNNY VAC COMMERCIAL FLOOR CLEANER MODEL JVC50BC |
| 137 | 1 | LOT WORKSHOP CONTENTS INCLUDING: WORKTABLE W VISE, HAND TOOLS, TOOL BOX, SAWS, WIRES, CONSUMABLES, 22 VACUUMS, HARDWARE, PLUS PORTABLE CART OUTSIDE WITH BLUE BINS INCLUDING HARDWARE, SS FITTINGS, CLAMPS, VALVES |
| 138 | 1 | 2018 (NEVER CONNECTED) KAESER 50 HP AIR COMPRESSOR MODEL BSD 50 SIGMA, 125 PSIG, 236 CFM, SN 1083, INCLUDES 123 IN TANK 150 PSI AT 450 DEG F, AND 2018 91 IN TANK 200 PSI AT 400 DEG F, (4) KAESER FILTER MOEL F6-F320 NEW IN BOXES, PLUS ADDITIONAL FILTERS, OEM OILS ETC |
| 139 | 1 | CLEAVER BROOKS BOILER MODEL 5 WATERTUBE PACKAGE BOILER MFP 5000, SERIES 700, MAX OUTPUT, 4,000,000 BTUH, NATURAL GAS, DIGITAL CONTROLS, SN 253475 IN MECHANICAL ROOM MEZZANINE LEVEL, INCLUDES 2012 CLEAVER BROOKS BOILER FEED SYSTEM MODEL BFS-100-1D, 100 GALLON CAPACITY, SN O4804-2-1, IN MECHANICAL ROOM GROUND LEVEL |
| 140 | 1 | 2000 WELLMAN THERMAL SYSTEMS CORP ELECTRICAL GLYCOL HEATERS, 135 KW AND 100 KW, CONTROL PANEL, W 7 FT X 7 FT FRAME, PLUS (2) TACO 30 HP PUMPS EACH ATTACHED TO TACO MODEL KS40134-12 80E20 VALVES, (3) WEG 3 HP MOTORS |
| 141 | 1 | EATON FREEDOM SERIES 2100 MCC, 208 VOLTS MAX, HOR BUS 600A, 3 PH VERT BUS CELL 1 600A, VERT BUS CELL 2 600A, BUS BRACING 42,000A |
| 142 | 1 | 2018 LETINA INOX EQUIPMENT PRODUCTION TYPE Z4150HV16, JACKETED TANK, 4150 L CAPACITY, SN 126517/9 (TANK ONLY - DISCONNECT AT FIRST VALVES) |
| 143 | 1 | TRANE CHILLER MODEL CGAM 110G 2E02 AXD2 A1A A1AX XA1C 1A4X 1XXX XA1A 5A1E, 575V/60HZ/3PH, MIN CKT 180, MAX FUSE 200A, SN U11L26563 |
| 144 | 1 | REF PLUS CHILLER MODEL OVS-482-5M1-8, 30 TON CHILLER, SN D2010040220 |
| 145 | 1 | KRACK CHILLER MODEL CPE-0601-LTP 233HST, APPROX 20 TON CHILLER, SN 876243-010-001 |
| 146 | 1 | HEAVY DUTY STEEL WASTE STORAGE CONTAINER ON STEEL FRAME, 2 GARAGE DOORS, TOTAL SIZE APPROX: 24 FT WIDE X 6 FT DEEP X 12 FT HIGH |
| 147 | 1 | AQC DUST COLLECTION SYSTEM, MAXI FLOW, TOSHIBA 10 HP MOTOR, TWIN CITY FAN AND BLOWER SIZE 75, TYPE TCBI-SW, EXPLOSION PROOF DOOR |
| 148 | 1 | LOT LADDERS (4) A FRAME FIBERGLASS 10 STEP, (1) FIBERGLASS SLIDER, 24 STEP |
| 149 | 1 | LOT ASSORTED STAINLESS STEEL AND STEEL PIPING UNDER LOT 144 CHILLER IN SOUTH YARD, ASSORTED STAINLESS STEEL PIPES AND INSULATED STEEL PIPES IN SOUTH YARD, STACK OF ORANGE RACKING (7) 10 FT HIGH X 42 IN DEEP, APPRX (50) 9 FT BEAMS, BITZER MOTOR, STAINLESS STEEL FRAMES AND GALVANIZED STEEL STRUCTURAL DECKING AND PARTS IN SOUTH LOT BETWEEN BUILDINGS |
| 150 | 1 | CUMMINS NATURAL GAS BACKUP GENERATOR MODEL C40 N6, 201.6 HRS, SPEC A, FREQ 60 HZ, RATED 40 KW, 50 KVA, ROTATING SPEED 1800 RPM, POWER PACT HD 150 CIRCUIT BREAKER, DIGITAL POWER COMMAND, SN E180353962 |
| 151 | 1 | AQC DUST COLLECTION SYSTEM, MAXI FLOW, APPROX 10+ HP MOTOR, EXPLOSION PROOF DOOR, MODEL 2MCH3-6I, SN 111123I06J0545A |
| 152 | 1 | 2018 CLEMMER STEELCRAFT 25,000 L SS TANK, SINGLE WALL, REQUIRED VENTING CAPACITY 155 M3/MIN, MAX PRESSURE 7 KPA, MAX VACUUM 300PA, MAX TEST PRESSURE 30 KPA, SN B66851258, INCLUDES BITORQ ACTUATOR, VALVE, LADDER [SST1] |
| 153 | 1 | 2018 CLEMMER STEELCRAFT 25,000 L SS TANK, SINGLE WALL, REQUIRED VENTING CAPACITY 155 M3/MIN, MAX PRESSURE 7 KPA, MAX VACUUM 300PA, MAX TEST PRESSURE 30 KPA, SN B66851261, INCLUDES BITORQ ACTUATOR, VALVE, LADDER [SST2] |
| 154 | 1 | 2018 CLEMMER STEELCRAFT 25,000 L SS TANK, SINGLE WALL, REQUIRED VENTING CAPACITY 155 M3/MIN, MAX PRESSURE 7 KPA, MAX VACUUM 300PA, MAX TEST PRESSURE 30 KPA, SN B66851259, INCLUDES BITORQ ACTUATOR, VALVE, LADDER [SST3] |
| 155 | 1 | 2018 CLEMMER STEELCRAFT 25,000 L SS TANK, SINGLE WALL, REQUIRED VENTING CAPACITY 155 M3/MIN, MAX PRESSURE 7 KPA, MAX VACUUM 300PA, MAX TEST PRESSURE 30 KPA, SN B66851260, INCLUDES BITORQ ACTUATOR, VALVE, LADDER [SST4] |
| 156 | 1 | DCI INC SS TANK, 300 GALLON CAPACITY, VESSEL MAWP 60/-15 PSI AT 300 DEG F, -20 DEG F AT 60/-15 PSI, 1992, SN 93PH46309 |
| 157 | 1 | 20,000 L CAPACITY AGI ENVIROTANK, ABOVE GROUND STEEL TANK FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS, INTEGRAL CONTAINED RECTANGULAR, WASTE SPILL CONTAINMENT TANK, STAINLESS STEEL, DOUBLE WALL, REQUIRED VENTING CAPACITY 154.3 M3/MIN, MAX PRESSURE 7 KPA, MAX TEST PRESSURE 21 KPA, MAX VACUUM 300 PA, 2012, SN 25011 INCLUDES STAIRS |

| | | |
|-----|---|---|
| 158 | 1 | ADM STAINLESS 2000 L CAPACITY SS TANK, MODEL CV, MAWP 75 PSIG AT 350 DEG F, 2010, CRN M7187.5, SN 90377A |
| 159 | 1 | STEEL PRO, 2000 GALLON SS TANK, 5930 LB EMPTY, MAWP 14.5 PSIG/FV, MATL SA-240 316L, APPROX 18 FT H X 5 FT DIA, 2001, SN 13874-A |
| 160 | 1 | STEEL PRO, 2000 GALLON SS TANK, 5930 LB EMPTY, MAWP 14.5 PSIG/FV, MATL SA-240 316L, APPROX 18 FT H X 5 FT DIA, 2001, SN NA |
| 161 | 1 | STEEL PRO 2000 GALLON SS TANK, 5930 LB EMPTY, MAWP 14.5 PSIG/FV, MATL SA-240 316L, SN 13874-B |
| 162 | 1 | MUELLER TANK |
| 163 | 1 | LOT ASSORTED SS AND STEEL INSULATED PIPING, FRAME, MOTORS, PALLET JACK GALVANIZED STAIRCASE AND FRAME, HOSES, BBQ, CHAIRS [ALL AT NORTH END OF NORTH YARD, EXCLUDES PALLET WITH 3 TANK CAPS FOR 159,160,161] |
| 164 | 1 | OPEN LOT |
| 165 | 1 | OPEN LOT |
| 166 | 1 | NEW 2019 BROAD DIRECT FIRED ABSORPTION CHILLER / HEATER MODEL BZ218XIID-43.3/37.8-32.8/27.2-4.4/10-K-H3-FA-MA-B3-250, NATURAL GAS, FEATURING: TITANIUM TUBES IN LTG ABS COND, OXYGEN FREE CU IN EVAPORATOR, STAINLESS STEEL HEAT EXCHANGERS, AUTO DECRYSTALLIZATION, PLC CONTROLS, ZERO MAINTENANCE PUMPS, MARINE WATER BOXES W HINGES, CAPACITIES: COOLING CAPACITY 720 RT, HEATING CAPACITY 6,056 MBH (WHILE PROVIDING 720 TON COOLING), COMPLETE SPECS AVAILABLE ON WEBSITE, UNIT WAS DELIVERED NEW IN 2020, COST OVER 1 MILLION, NEVER INSTALLED, REMAINS PRESSURIZED AND IN A HEATED ENCLOSURE, AND COMES WITH A COMPLETE INSPECTION CONDUCTED BY BROAD IN MARCH 2023, SN 1907824 [*NOTE: LOCATED IN LUCKY LAKE, SASKATCHEWAN] |
| 167 | 1 | NEW 2019 BROAD DIRECT FIRED ABSORPTION CHILLER / HEATER MODEL BZ218XIID-43.3/37.8-32.8/27.2-4.4/10-K-H3-FA-MA-B3-250, NATURAL GAS, FEATURING: TITANIUM TUBES IN LTG ABS COND, OXYGEN FREE CU IN EVAPORATOR, STAINLESS STEEL HEAT EXCHANGERS, AUTO DECRYSTALLIZATION, PLC CONTROLS, ZERO MAINTENANCE PUMPS, MARINE WATER BOXES W HINGES, CAPACITIES: COOLING CAPACITY 720 RT, HEATING CAPACITY 6,056 MBH (WHILE PROVIDING 720 TON COOLING), COMPLETE SPECS AVAILABLE ON WEBSITE, UNIT WAS DELIVERED NEW IN 2020, NEVER INSTALLED, COST OVER 1 MILLION, REMAINS PRESSURIZED AND IN A HEATED ENCLOSURE, AND COMES WITH A COMPLETE INSPECTION CONDUCTED BY BROAD IN MARCH 2023, SN 1907825 [*NOTE: LOCATED IN LUCKY LAKE, SASKATCHEWAN] |
| 168 | 1 | OPEN LOT |
| 169 | 1 | OPEN LOT |
| 170 | 1 | NEW PFAUDLER WIPED FILM EVAPORATOR, SOLVENT GRADE, ULTRA HIGH VACUUM, SS, SELF CONTAINED, CIRCULATION HEATER INCLUDED, INSTRUMENTS INCLUDED BUT CONTROL SYSTEM REQUIRED (UNUSED, NEW COST \$1M), INCLUDES 2018 PFAUDLER INTERNAL MAWP 14.5 FV PSI AT 450 DEG F, JACKET MAWP 100 PSI AT 450 DEG F, MATL SA 240 316L, SN 4275846, ALLEGHENY BRADFORD HEAT PUMP SHELL MAWP 75 PSI AT 302 DEG F, TUBES MAWP 14.5 PSI AT 302 DEG F, SN 046833-2-1-1, (3) 2018 UNIBLOCK PUMPS W BALDOR 1 HP MOTORS, TUTHILL PUMP, FLOWSERVE SERIES F39 PNEUMATIC ACTUATOR, PIPING, METERS, REGULATORS VALVES, ETC. APPROX STEEL FRAME DIMENSIONS: 7.5 FT W X 8 FT D X 12.5 FT H, ALSO INCLUDES 2019 WATTCO CIRCULATION HEATER MAWP 205 PSI AT 290 DEG F, SN 11987-1-1 |
| 171 | 1 | SMALL WHITE FILM EVAPORATOR, REFURBISHED BY PFAUDLER IN APPROX 2019, INCLUDES: PFAUDLER PUMP, SKID 2018 SHELL MAWP 225 AT 450 DEG F, TUBE MAWP 150 PSI AT 450 DEG F, SN 276664-01, W TUTHILL PUMP, PIPES, BOXES W COMPONENTS |
| 172 | 1 | 2012 WINTEK SOLVENT RECOVERY SKID, SELF CONTAINED, MODEL C168R50/WSS-150/V-1FRSS, APPROX 1,000 L / HR, LIQUID RING VACUUM PUMP, SN 111003A |
| 173 | 1 | 2012 WINTEK SOLVENT RECOVERY SKID, SELF CONTAINED, MODEL C168R50/WSS-150/V-1FRSS, APPROX 1,000 L / HR, LIQUID RING VACUUM PUMP, SN 111003B |
| 174 | 1 | VP15601 - SOLVENT RECOVERY SYSTEM, INCLUDING 2001 INDUSTRIAL FILTER MANUFACTURERS MODEL VAGAU08B /316LSP, MATL 316L, FRAME DIMENSIONS 6 FT W X 4.5 FT D X 6 FT H, SN 72636 *NOTE NOT IN SERVICE |
| 175 | 1 | 2018 WATTCO CIRCULATION HEATER MAWP 205 PSI AT 290 DEG F, SN 11568-1-1 |
| 176 | 1 | WATTCO CIRCULATION HEATER MAWP 205 PSI AT 290 DEG F, SN 11987-1-2, W RED FRAME APPROX 11 FT L X 3 FT W X 9 FT H, PLUS SPARE 2018 AIC HEAT EXCHANGER, 300 PSI AT 422 DEG F, SN 18JDK6.0841001 |
| 177 | 1 | (4) 2011 ALLEGHENY HEAT ECHANGERS ON PORTABLE CART, APPROX 50 SF, SANITARY SS GRADE, SHELL AND TUBE MAWP 150 PSI AT 350 DEG F, SN'S 033257-1-1-1, -3, -4, -6, OUTSIDE DIMENSIONS APPROX 12.5 FT X 3 FT |
| 178 | 1 | (2) 2014 ALLEGHENY HEAT EXCHANGERS ON SS FRAME, SANITARY SS GRADE, SHELL AND TUBE MAWP 150 PSI AT 350 DEG F, SN'S 039631-1-1-1A, 1B OUTSIDE DIMENSIONS APPROX 11 FT X 1.5 FT |
| 179 | 1 | 2011 ALLEGHENY HEAT EXCHANGER, SANITARY SS GRADE, SHELL AND TUBE MAWP 150 PSI AT 350 DEG F, SN 033257-1-1-5, LENGTH APPROX 10 FT |

| | | |
|-----|---|--|
| 180 | 1 | MERCK & CO HEAT EXCHANGER UPDATED IN 2010 TO MAWP 100 PSI AT 450 DEG F, SN 8385 |
| 181 | 1 | MERCK & CO HEAT EXCHANGER UPDATED IN 2010 TO MAWP 100 PSI AT 450 DEG F, SN 4183 |
| 182 | 1 | 5 FT HEAT EXCHANGER ON RED STEEL FRAME, W (2) VEGASWING 63 METERS |
| 183 | 1 | 2019 BUSCH ULTRA LOW VACUUM PUMP SYSTEM MODEL COBRA NC0200, 10 HP, SN OSYS-004103-2122, W BUSCH DEMISTER HEAT EXCHANGER MODEL VAGAU08B/316, SN 102-7185 [NEW IN 2 CRATES] |
| 184 | 1 | FISHER 3 WAY VALVE, FIELDVIE INSTRUMENTS, DESIGN GX, F22694, CF3M/1.4409+ |
| 185 | 1 | 2017 AIC 5 FT HEAT EXCHANGER MODEL DXK 6.50, TUBES AND SHELL 300 PSI AT 422 DEG F, SN 17JDK6.0841.015 |
| 186 | 1 | 2018 NORD DRIVESYSTEMS TYPE SK 42 VL N210TC-213 TC, W 7.5 HP BALDOR DRIVE MOTOR, NEW ON SKID |
| 187 | 1 | 2 SKIDS W 2 HULL VAC PUMPS, MODEL HV-412 SN 210108 AND MODEL HVC 180, SN 209907 |
| 188 | 1 | 2 SKIDS W: ELECTRO STEM GENERATOR MODEL LB-30 SN 36978, (2) TRANE STEAM/HOT WATER UNIT HEATERS, SOGEVAC SV65 B PUMP |
| 189 | 1 | 2007 MCGILL AIR PRESSURE TRAY DYER CHAMBER MODEL 9E-11, MAX TEMP 400 DEG F, SHELVES MODEL E, PRESSURE 50 PSIG AND FULL VACUUM EXL ASME U STAMPED, SN C-1925-1 [VTD 1 APPROX 8000 LB] |
| 190 | 1 | FORSBERG DESTONER MODEL 5-G, SN 16384 |
| 191 | 1 | ROCKBOX STRUCTURES VENTED SHED, APPROX 57 IN X 33 IN X 85 IN, STEEL BASE FRAME, RUFFNECK .5 HP EXHAUST FAN |
| 192 | 1 | 2019 SIEBTECHNIK SHORT BOWL CENTRIFUGE DECANter, MODEL DBD 320, SN 7153 NEW IN CRATE |
| 193 | 1 | SHARPLES HIGH SPEED CENTRIFUGE TUBULAR BOWL, MODEL AS265R, 10,000 G FORCE, 17,000 RPM, PRESSURE 22 PSIG, 1.5 KG/CM2, TEMP 255 DEG F, 1600 LB, SN 90-AS265P-87, NOTE: REFURBISHED W NEW CONTROLS IN 2019 ONLY APPROX. 20 HRS SINCE REFURB |
| 194 | 1 | SKID W (4) PROTEGO VAC TANK VENT PUMPS, DN 50 PN 1, 1.4408/CFM8 |
| 195 | 1 | SKID W (4) PUMPS PLUS 30 IN SS TANK AND 2 BOXERS OF SCREWS, COMPONENTS |
| 196 | 1 | ACRISON DRY MATERIAL FEEDER, MODEL SBDF-2.5-M/2, VARIABLE SPEED, XP RATED, W HOPPER APPROX. 1 CU M, SN 19355-01, INCLUDES SKID W TRIANGULAR LOAD CELL FRAME |
| 197 | 1 | ACRISON DRY MATERIAL FEEDER, MODEL BDF15-K, SN 1254-01, NEW ON CRATE FRAME |
| 198 | 1 | ACRISON DRY MATERIAL FEEDER, MODEL BDF15-K, SN 1254-02, NEW ON CRATE FRAME W CRATE, |
| 199 | 1 | ACRISON DRY MATERIAL FEEDER, MODEL BDF-1-F/2, 96125-01 |
| 200 | 1 | 2014 HAPMAN XP RATED BIOMASS DRY MATERIAL FEEDER, VARIABLE SPEED, PORTABLE, W SPARE APPROX 15 FT AUGER, SN X14405 AA, CONTROL BOX W EXPO MINI PURGE CONTROL SYSTEM |
| 201 | 1 | 2014 HAPMAN SS PORTABLE BIN FEEDER, SN X14405 BA |
| 202 | 1 | APPROX 12' SS AUGER W MOTOR |
| 203 | 1 | SAIREM LABOTRON X 6000, MICROWAVE EXTRACTION, CLASS 1 DIV 2 GROUP DT3, 5 TO 35 DEG C, DIAGRAM NO R11625, W TANK ON CART |
| 204 | 1 | 2013 SAIREM MICROWAVE EXTRACTION, MINI LABOTRON 2000 M20K 230B [IN CRATE] |
| 205 | 1 | 2013 SAIREM MICROWAVE EXTRACTION, MINI LABOTRON 2000, M20K 230B, SN 86.34.13 |
| 206 | 1 | 2018 SAIREM MODEL TGCP 50W 975-76/16, CAVITE MONOMODE 915 MHZ, PCCM WR975 L230V MR1PE, INCLUDES BOX W 1700 WATT TRANSFORMER, TEMP CONTROLLER, TEMPERATURE UNIT, SURVEY METER |
| 207 | 1 | SAIREM MODEL GLP 750 KIP CONTROL UNIT, 4 4 COMPUTER DRIVES, SN R1 1576A |

| | | |
|-----|---|---|
| 208 | 1 | SAIREM CONTROL CABINET MODEL 5XMLS, PROFACE DIGITAL TOUCH CONTROLS, SN R1 1728 |
| 209 | 1 | 2012 SAIREM EXTRACTOR MODEL REACTEUR 3374, APPROX 15 FT, SN 26.17.12 W 2 BOXES OF SPARE PLATES |
| 210 | 1 | 3 SKIDS SAIREM COMPONENTS INCLUDING 2012 GLP 750 KIP 56T 400 FCA2IR AND ASSORTED PARTS |
| 211 | 1 | FONTANA TRANSFORMER VP 400/600V, 150 KVA, 120 DEG C, 230 - 150A, IS 220A, FTS.S.9854 |
| 212 | 1 | 2018 LETINA SS TANK MODEL Z2000 HV 11, 2,000 L CAPACITY, FOOD GRADE, SN 126317/4 |
| 213 | 1 | 2018 LETINA SS TANK MODEL Z2000 HV 11, 2,000 L CAPACITY, FOOD GRADE, SN 126317/9 |
| 214 | 1 | 2018 LETINA SS TANK MODEL Z2000 HV 11, 2,000 L CAPACITY, FOOD GRADE, SN 126317/3 |
| 215 | 1 | 2018 LETINA SS TANK MODEL Z2000 HV 11, 2,000 L CAPACITY, FOOD GRADE, SN 126317/5 |
| 216 | 1 | 2018 LETINA SS TANK MODEL Z2000 HV 11, 2,000 L CAPACITY, FOOD GRADE, SN 126317/10 |
| 217 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 150 KG, TEST PRESSURE 1.6 BAR/07.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45015 |
| 218 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45709 |
| 219 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45718 |
| 220 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45720 |
| 221 | 1 | 2016 CONTAINER LOGIC 800 L TANK ON SKID, F CONTAINER, TARE 145 KG, MAX PRESSURE 1.0/.15 BAR, TEST PRESURE 1.7 BAR, MAX TEMP +130/-10 DEG C, FOOD GRADE, SN 93220 |
| 222 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45719 |
| 223 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45722 |
| 224 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45726 |
| 225 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45713 |
| 226 | 1 | 2016 CONTAINER LOGIC 800 L TANK ON SKID, F CONTAINER, TARE 145 KG, MAX PRESSURE 1.0/.15 BAR, TEST PRESURE 1.7 BAR, MAX TEMP +130/-10 DEG C, FOOD GRADE, SN 93233 |
| 227 | 1 | 2016 CONTAINER LOGIC 800 L TANK ON SKID, F CONTAINER, TARE 145 KG, MAX PRESSURE 1.0/.15 BAR, TEST PRESURE 1.7 BAR, MAX TEMP +130/-10 DEG C, FOOD GRADE, SN 93213 |
| 228 | 1 | 2016 CONTAINER LOGIC 800 L TANK ON SKID, F CONTAINER, TARE 145 KG, MAX PRESSURE 1.0/.15 BAR, TEST PRESURE 1.7 BAR, MAX TEMP +130/-10 DEG C, FOOD GRADE, SN 93209 |
| 229 | 1 | 2016 CONTAINER LOGIC 800 L TANK ON SKID, F CONTAINER, TARE 145 KG, MAX PRESSURE 1.0/.15 BAR, TEST PRESURE 1.7 BAR, MAX TEMP +130/-10 DEG C, FOOD GRADE, SN 93221 |
| 230 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45725 |
| 231 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45707 |
| 232 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45010 |
| 233 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45715 |
| 234 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45716 |
| 235 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 150 KG, TEST PRESSURE 1.6 BAR/07.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45032 |

| | | |
|-----|---|---|
| 236 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 150 KG, TEST PRESSURE 1.6 BAR/07.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45019 |
| 237 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45730 |
| 238 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45711 |
| 239 | 1 | 2017 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 150 KG, TEST PRESSURE 1.6 BAR/07.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 42028 |
| 240 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45721 |
| 241 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45714 |
| 242 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45717 |
| 243 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 150 KG, TEST PRESSURE 1.6 BAR/07.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45018 |
| 244 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45710 |
| 245 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45724 |
| 246 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45728 |
| 247 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45723 |
| 248 | 1 | 2017 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 150 KG, TEST PRESSURE 1.6 BAR/07.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 42030 |
| 249 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 149 KG, TEST PRESSURE 1.6 BAR/10.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45712 |
| 250 | 1 | 2018 THIELMANN 800 L TANK ON SKID, MATL 1.4301, TARE 150 KG, TEST PRESSURE 1.6 BAR/07.18, WORK PRESSURE -0.5 /+1.0 BAR, OPERATING TEMP -20/+120 DEG C, FOOD GRADE, SN 45014 |
| 251 | 1 | STELFAB 991 L CAPACITY SS DRY MATERIAL HOPPER, FULL OPENING DUMP AT BOTTOM,TRAY SLIDES OUT, DESIGN PRESSURE 3 PSI, TARE 299 KG, SN 12846, NEW |
| 252 | 1 | STELFAB 991 L CAPACITY SS DRY MATERIAL HOPPER, FULL OPENING DUMP AT BOTTOM,TRAY SLIDES OUT, DESIGN PRESSURE 3 PSI, TARE 299 KG, SN 12844, NEW |
| 253 | 1 | STELFAB 991 L CAPACITY SS DRY MATERIAL HOPPER, FULL OPENING DUMP AT BOTTOM,TRAY SLIDES OUT, DESIGN PRESSURE 3 PSI, TARE 299 KG, SN 12847, NEW |
| 254 | 1 | STELFAB 991 L CAPACITY SS DRY MATERIAL HOPPER, FULL OPENING DUMP AT BOTTOM,TRAY SLIDES OUT, DESIGN PRESSURE 3 PSI, TARE 299 KG, SN 12845, NEW |
| 255 | 1 | STELFAB 991 L CAPACITY SS DRY MATERIAL HOPPER, FULL OPENING DUMP AT BOTTOM,TRAY SLIDES OUT, DESIGN PRESSURE 3 PSI, TARE 299 KG, SN 1284X, NEW |
| 256 | 1 | SS TOTE APPROX 1300 L CAPACITY, MODEL 513474S, SN 35461-1 |
| 257 | 1 | CLAWSON 304 SS TOTE, 1306 L CAPACITY, TARE 214 KG, MIN 2.3 MM THICK, SN 7642BM202 |
| 258 | 1 | CLAWSON 304 SS TOTE, 1306 L CAPACITY, TARE 214 KG, MIN 2.3 MM THICK, SN 7642BM216 |
| 259 | 1 | TRANSTORE 304 SS TOTE, 350M GALLON CAPACITY, TARE 500 LB, MODEL 511301, SN 0321C |
| 260 | 1 | CLAWSON 304 SS TOTE, 1306 L CAPACITY, TARE 214 KG, MIN 2.3 MM THICK, SN R061063319 |
| 261 | 1 | LOT (5) PLASTIC TOTES W METAL SKID FRAME |
| 262 | 1 | AMERICAN ALLOY PRESSURE FILTER ON SS CART, HASTEALLOY, APPROX 30 IN ID, SHELL MAWP 60 PSI AT 302 DEG F, JACKET MAWP 75 PSI AT 302 DEG F, 2005, SN 4347 |
| 263 | 1 | AMERICAN ALLOY PRESSURE FILTER ON SS CART, HASTEALLOY, APPROX 30 IN ID, SHELL MAWP 60 PSI AT 302 DEG F, JACKET MAWP 75 PSI AT 266 DEG F, 2008, SN 5274 |

| | | |
|-----|---|---|
| 264 | 1 | 2019 CONTROL SYSTEMS 316 SS PRESSURE VESSEL, 150 L CAPACITY, DESIGN PRESSURE 15 PSIG, VAC PRESSURE 14.6 PSIG, TEMP -25 TO 75 DEG C, TARE 235 LB, SN WCS-19083020A-1 |
| 265 | 1 | 2019 CONTROL SYSTEMS 316 SS PRESSURE VESSEL, 160 L CAPACITY, DESIGN PRESSURE 15 PSIG, VAC PRESSURE 14.6 PSIG, TEMP -25 TO 75 DEG C, TARE 265 LB, SN WCS-19083020B-3 |
| 266 | 1 | 2019 CONTROL SYSTEMS 316 SS PRESSURE VESSEL, 160 L CAPACITY, DESIGN PRESSURE 15 PSIG, VAC PRESSURE 14.6 PSIG, TEMP -25 TO 75 DEG C, TARE 265 LB, SN WCS-19083020B-2 |
| 267 | 1 | 2019 CONTROL SYSTEMS 316 SS PRESSURE VESSEL, 160 L CAPACITY, DESIGN PRESSURE 15 PSIG, VAC PRESSURE 14.6 PSIG, TEMP -25 TO 75 DEG C, TARE 265 LB, SN WCS-19083020B-1 |
| 268 | 1 | 2019 CONTROL SYSTEMS 316 SS PRESSURE VESSEL, 150 L CAPACITY, DESIGN PRESSURE 15 PSIG, VAC PRESSURE 14.6 PSIG, TEMP -25 TO 75 DEG C, TARE 235 LB, SN WCS-19083020A-2 |
| 269 | 1 | LEE IND SS PRESSURE TANK, MAWP 17 PSI AT 254 DEG F, MODEL 100LDBT, SN B4191B |
| 270 | 1 | BULLING METAL WORKS SS VESSEL, 316L, 1999, SN 9461 |
| 271 | 1 | SS PRESSURE VESSEL MODEL 500LU, MAWP 30 PSI AT 300 DEG F, JACKET 100 PSI AT 338 DEG F, SN B852208 |
| 272 | 1 | LEE IND SS PRESSURE TANK MAWP 30 PSI AT 300 DEG F, MODEL 100L CBT, 1995 SN C1673A6 |
| 273 | 1 | LEE IND SS PRESSURE TANK MAWP 30 PSI AT 300 DEG F, MODEL 100L CBT, 1994, SN B9483C8 |
| 274 | 1 | MERCK & CO 316L SS TANK, 50 GAL CAP, MAWP 14.5 AT 100 DEG F, SN 5982 |
| 275 | 1 | PALL TANK MODEL WSFZ162, APPROX 105 L CAP, DIA 16 IN X 2, SN OXXX61.2, SN WSFZ162F31UT5J |
| 276 | 1 | SS TANK, APPROX 3 FT X 1 FT, ON CART |
| 277 | 1 | SS TANK APPROX 3 FT H X 2.5 FT H, ON SMALL SS FRAME W VALVES |
| 278 | 1 | NATL 316L SS TANK, 60.3 PSIG AT 374 DEG F, SHELL AND HEAD 304L, SN 6072-16 |
| 279 | 1 | ADM 500L STAINLESS TANK MODEL CV, SN 90499 |
| 280 | 1 | MERCK & CO TOLAN TANK, 80 GALLON CAPACITY, MAWP 50 PSIG AT 300 DEG F, MATL 316L, SN TA151 ON SS FRAME |
| 281 | 1 | MERCK & CO TOLAN TANK, 100 GALLON CAPACITY, MAWP 50 PSIG AT 300 DEG F, MATL 316L, SN TA1010 ON SS FRAME |
| 282 | 1 | CUSTOM FABRICATED TANK FRAME WASH STATION |
| 283 | 1 | SS HOPPER FEED FRAME ON WHEELS, W 2 SMALL SS BOX FRAMES |
| 284 | 1 | CUSTOM PROTOTYPE MIXER ON SS FRAME W ADDITIONAL PLUNGE TUBE |
| 285 | 1 | 2000 L SS TANK, VACUUM RATED W AGITATOR, APPROX 5 FT H X 4.5 FT DIA |
| 286 | 1 | LOT 2 TRANSTORE TOTES MODEL 511827, SN 34560.1 AND .2 |
| 287 | 1 | SS TANK ON FRAME, APPROX. 200 GALLON CAPACITY |
| 288 | 1 | ITT INDUSTRIES 316 SS TANK, 625 L CAPACITY, MAWP ATMOS PSI AT 250 DEG F, 2003, SN 230163-3 |
| 289 | 1 | DCI 2000 GALLON SS TANK, +327/-15 PSI AT 300 DEG F, JACKET MAWP 60 PSI AT 300 DEG F, 1982, SN 83PH29309-B NOTE SOME DENTS |
| 290 | 1 | SPARTANBUG SS TANK MAWP 30/FV AT 300 DEG F, JACKET 100 PSI AT 300 DEG F, APPROX 6.5 FT H X 4 FT DIA, 1999 SN 1826 |
| 291 | 1 | MERCK & CO 300 GALLON CAP 316L SS TANK, MAWP FV/150 AT 450 DEG F, 2004, SN 4302 |

| | | |
|-----|---|--|
| 292 | 1 | SS JACKETED TANK, APPROX 6 FT H X 5 FT DIA |
| 293 | 1 | LOT 2 SS TANKS, APPROX, 3 FT H X 2.5 FT DIA, CONE BOTTOM |
| 294 | 1 | SS TANK, APPROX 5 FT H X 3.5 FT W, ON STEEL FRAME, NOTE: SOME DENTS |
| 295 | 1 | SAIREM CF EXTRACTOR CONTROL PANEL ON FRAME AND SKID, 3 X 400V, CLASS 1 DIV 2 GROUP DT6, 5 TO 35 C, 24 VDC, SN R11583 |
| 296 | 1 | LOT ASST FRAMES, APPROX 20' METAL TUBING, SKID W METAL BOXES, PILES ASSORTED CONDUIT, HOSE, PIPES, 2 SKIDS W HVAC FRAMES |
| 297 | 1 | FITZMILL DRY MATERIAL MILL, APPROX 20 IN X 20 IN SS FEED TRAY, W ADELET CONTROLS, ON SS PORTABLE FRAME |
| 298 | 1 | SKID W 2019 KEEPRITE AC UNIT MODEL FEM4P3000AL, SN F191423528, PLU SSIEMENS COMBINATION MOTOR STARTER CAT NO 18DUE92HF, 600V AC |
| 299 | 1 | THERMO FORMA CLASS II A/B3 BIOLOGICAL SAFETY CABINET, MODEL 1286, SN 40250-791 |
| 300 | 1 | FORMA SCIENTIFIC CLASS II A/B3 BIOLOGICAL SAFETY CABINET MODEL 1284, SN 40443-1109 |
| 301 | 1 | NUAIRE CLASS II TYPE A/B3 BIOLOGICAL SAFETY CABINET MODEL NU-425-600, OPTION A-O, SN 26678 AAM |
| 302 | 1 | FORMA SCIENTIFIC CLASS II A/B3 BIOLOGICAL SAFETY CABINET MODEL 1284, SN 29051-934 |
| 303 | 1 | FORMA SCIENTIFIC BIO FREEZER, MODEL 8517, SN 85791-52 NOTE CRACKED FRONT PANEL |
| 304 | 1 | SKID W (2) FORMA SCIENTIFIC CO2 INCUBATORS, MODEL 320 SN 9833-28, 28774-13 |
| 305 | 1 | FORMA SCIENTIFIC NON CFC REFRIGERANT COOLER, MODEL 3672, SN 86429-153 |
| 306 | 1 | FORMA SCIENTIFIC ISOTEMP FREEZER |
| 307 | 1 | LOT: (2) WVR FREEZERS, THERMO ELECTRON CORP COOLER AND LAUDA MODEL WKL 3200 CHAMBER |
| 308 | 1 | LOT: 6 ASSORTED REFRIGERATORS / FREEZERS, INCL WVR MODEL 10FCEEVWA |
| 309 | 1 | LOT: 2 FLAME CABINETS, 3 FIRE PROOF FILING CABINETS AND 4 OTHER OFFICE CABINETS |
| 310 | 1 | CUSTOM STEEL (SS?) FRAME APPROX. 7 FT W X 2 FT D X 5.25 FT H |
| 311 | 1 | AGILENT MODEL 7890B GAS CHROMATOGRAPHY (GC) SYSTEM IN OEM BOX, EST 2018/2019 |
| 312 | 1 | 2018 AGILENT MODEL 7890B GAS CHROMATOGRAPHY (GC) SYSTEM, SN CN18193161 |
| 313 | 1 | LOT: BUCHI ROTOVAPOR R-210 SN 1000028142, BUCHI VACUUM PUMP V-710 SN 1000022157, BUCHI VACUUM CONTROLLER V-800, SN 0500007X36 |
| 314 | 1 | LOT 5 SKIDS W ASSORTED LAB EQUIPMENT, EPPENDORF TUBES, ELECT BOXES, WVR GAUGES, GLASSWARE, FIRE EXTINGUISHERS, METAL TRAYS, CENTRIFUGE TEST TUBES ETC |
| 315 | 1 | TABLE INCLUDING: BUCHI ROTOVAPOR R-153, YAMATO ROTARY EVAPORATOR RE-71, BUCHI ROTOVAPOR, MICROWAVE ELECTRICAL COMPONENTS AND CABINET, ASSORTED COMPONENTS, GLASS MEASURING |
| 316 | 1 | LOT: 10 DONALDSON TORIT DUST COLLECTOR CARTRIDGE FILTERS, MODEL P191526-0160436 |
| 317 | 1 | HYDRAULIC SOLVENT TANK TIPPING UNIT, W ELECTRIC HEATED DRUM DOLLY |
| 318 | 1 | 2020 GRUNDFOS UNIBLOC POSITIVE DISPLACEMENT PUMP, HALESAN SANITARY BIOPHARMA INDUSTRIAL, SN Q1910715 [NEW IN BOX] |
| 319 | 1 | 2020 GRUNDFOS UNIBLOC POSITIVE DISPLACEMENT PUMP, HALESAN SANITARY BIOPHARMA INDUSTRIAL, SN Q1910715 [NEW IN BOX] |

| | | |
|-----|---|--|
| 320 | 1 | 2020 GRUNDFOS UNIBLOC POSITIVE DISPLACEMENT PUMP, HALESAN SANITARY BIOPHARMA INDUSTRIAL, SN Q1910715 [NEW IN BOX] |
| 321 | 1 | 2020 GRUNDFOS UNIBLOC POSITIVE DISPLACEMENT PUMP, HALESAN SANITARY BIOPHARMA INDUSTRIAL, SN Q1910715 [NEW IN BOX] |
| 322 | 1 | GRUNDFOS UNIBLOC POSITIVE DISPLACEMENT PUMP, W BALDOR .5 HP MOTOR, ON SS CART |
| 323 | 1 | GRUNDFOS TYPE CRN5-8 A-FGJ-A-V-H00V, SN 0001 W SHAFT SEAL KIT, NEW IN BOX |
| 324 | 1 | GRUNDFOS TYPE CRN5-6 A-FGJ-A-V-HQQV, SN 0001 W SHAFT SEAL KIT, REPLACEMENT IMPELLER STACK, NEW IN BOX |
| 325 | 1 | SKID W 2 PUMPS ON SS CARTS, HOSE REEL, HOSE |
| 326 | 1 | 2 SKIDS W APPROX: (5) TOP LINE TF4 2.5 IN CF8M 800 WOG VALVES, (19) TOP LINE TF4 2 IN CF8M 1000 WOG VALVES, (18) TOP LINE TF4 1.5 IN CF8M 1000 WOG VALVES, (55) TOP LINE TF4 1 IN CF8M 1000 WOG VALVES, NEW IN BOXES |
| 327 | 1 | 3 SKIDS W ASSORTES SIZED SANITARY ELBOWS, T JOINTS, CLAMPS, (14) DIXON 2" SIGHT VALVES, (16) DIXON 1" SIGHT VALVES |
| 328 | 1 | 1 SKID W BS&B APPROX 25 4" RUPTURE DISCS, 4 BOXES 2" RUPTURE DISCS |
| 329 | 1 | 2.5 SKIDS BAGCORP VINYL BAGS , 1200 KG MAX CAPACITY, MODEL 13H4/Y/09-19 |
| 330 | 1 | 2 SKIDS APPROX (14) 2020 FILTRATION GROUP 31.88 X 43.88X2.88 HVAC FILTERS 99.9956% EFFICIENCY AT 0.3 MICRON, PLUS 3 BOXES ASSORTED FILTRATION GROUP AND AAF FILTERS |
| 331 | 1 | 2 SKIDS W ASST: METAL FILTERS, EAGLE STAINLESS 36 L VESSEL, SPARE LIGHTS, COMPONENTS, SEALANT, GLASSWARE |
| 332 | 1 | SS SEGMENTED DISC, 55 IN DIA |
| 333 | 1 | LOT: (6) ULINE 55 GALLON WHITE PLASTIC DRUMS, (4) 30 GALLON BLUE PLASTIC DRUMS |
| 334 | 1 | LOT: AVAYA IP PHONES, APPROX (23) MODEL 9504 PLUS OPERATORS PANEL, (16) MODEL J139 05, PLUS CRATE FULL OF KEYBOARDS, POWER BARS, COMPUTER EQUIPMENT |
| 335 | 1 | SKID W STELLAR SOLUTIONS KLEERKLEEN 4002 PROPRIETARY MIXTURE CLEANING AND TREATMENT OF METALS, CALDERA 8 FOOD GRADE HEAT TRANSFER FLUID |
| 336 | 1 | SKID W (3) BARRELS BAKER TITAN ADHESIVES, 2070-7 TIPPING ADHESIVE |
| 337 | 1 | 2 CARBTROL CORP VACUUM FILTER BARRELS, ACTIVATED CARBON |
| 338 | 1 | 3 TOTES W IOI OLEO OLEOCHEMICAL MIGLYOL 812 N NEUTRAL OIL, EACH TOTE 950 KG |
| 339 | 1 | TOTE AND ASSORTED SKIDS OF ASSORTED OILS, CHEMICALS ETC: ZEOCHEM SILICAGEL ZEOPREP 60 40 63 UM, ECEM RT 100 CLEANER, NON FOAMING PHOSPHORIC ACID BASED CIRCULATION CLEANER, DYNALENE HC-50, 3 BARREL BAKER TITAN 2010-8 TIPPING ADHESIVE |
| 340 | 1 | SKID W ASST OILS INCLUDING MOBILGEAR 600 XP 220, VACUUM PUMP FLUID, TERESSTIC 68 CIRCULATING OIL |
| 341 | 1 | 2 SKIDS APPROX (18) ULINE 55 AND 30 GALLON PLASTIC DRUMS |
| 342 | 1 | SKID W 2 BARRELS DURA THERM 450FG FOOD GRADE HEAT TRANSFER FLUID |
| 343 | 1 | SKID W ASSORTED PAINTS, SPARE 7.5KW MOTOR AND PARTS |
| 344 | 1 | 2 SS TOTES |
| 345 | 1 | (2) LEE INDUSTRIES PRESSURE TANKS MAWP 30 PSIG AT 300 DEG F, MODEL 100L CBT, SN'S B94837C, C1673A11 |
| 346 | 1 | (2) 2018 AIC HEAT EXCHANGERS, MAWP 300 PSI AT 422 DEG F, SN'S 18JDK3.0722.035, 18JDK3.0722.029 |
| 347 | 1 | SKID W ALLFLO PUMP MODEL SP-15-X44 AND WATSON MARLOW PERISTALTIC PUMP MODEL BREDEL SPX25 |

| | | |
|-----|---|--|
| 348 | 1 | GRACO, NEW FOOD GRADE PUMP PART FD1213, SERIES 17H18A, PLUS SANDPIPER PUMP, (3) SS PORTABLE PUMP CARTS, (2) PORTABLE SS TRIPOD CARTS |
| 349 | 1 | (3) UNIFIED ALLOYS APPROX 25 IN TANK PLATES |
| 350 | 1 | (3) SKIDS ASSORTED PNEUMATIC ACTUATORS, VALVES, FITTINGS, COMPONENTS, KNIFE VALVE, JOINTS, METERS, CONTROLS |
| 351 | 1 | (2) SKIDS ELECTRICAL SWITCHES, TRANSFORMER, HULL VAC PUMP, ELECTRICAL CABINETS |
| 352 | 1 | METTLER TOLEDO SS SCALE, UP TO 3000 LB CAPACITY, NEW IN CRATE |
| 353 | 1 | SKID W ASSORTED ULINE STROFOAM BOXES |
| 354 | 1 | (5) SKIDS W ASSORTED PNEUMATIC ACTUATOR, PIPING, FITTINGS, VALVES, ETC |
| 355 | 1 | 2017 BARREL CARRIER FORKLIFT ATTACHMENT, MODEL DCR-205-15, 1,500 LB CAPACITY, SN S1472423 |
| 356 | 1 | SKID W NEW SIEMENS SUMMIT PNEUMATIC ACTUATOR, 2019 HEAT EXCHANGES, 225 PSI AT 450 DEG F SN 298235-01, VALVES, TANK FLANGES, MOTOR STARTING SWITCHES, FEEDER, CAPS |
| 357 | 1 | FLUKE MODEL 7109A PORTABLE CALIBRATION BATH, -25 TO 140 DEG C, DIGITAL CONTROLS |
| 358 | 1 | 4 SKIDS W APPROX: (5) VEGAPLUS 63 METERS, (10) VEGASWING 63 W ASST SHAFTS, (15) WIKAI DIAL GAUGES, (7) VEGADIS 82 GAUGES, (2) VEGABAR 82 GAUGES |
| 359 | 1 | 4 SKIDS W ASST METTLER TOLEDO: (4) LOAD POINT ASSEMBLIES AND COMPONENTS, (12) MIXED MODEL 0745A APPROX 1250 LB + TO 3500 KG LOAD POINT ASSEMBLIES, (3) METTLER TOLEDO IND570XX DIGITAL CONTROL BOXES, (4) METTLER TOLEDO MODEL SWB805 HYGIENIC WEIGH MODULES, PRECISION JUNCTION BOX, (32) REOTEMP DIAL GAUGES |
| 360 | 1 | SKID W SIEMENS POWER MODULE MODEL PM240-2, (3) ABB CONTROL MASTER MODEL CMF310 CONTROL PANELS |
| 361 | 1 | 4 SKIDS W BALDOR MOTORS: (1) 7.5 HP, (3) 3 HP, (1) .75 HP, (3) 1 HP, (11) .5 HP, (1) .33 HP, PLUS: USED (1) 7.5 HP, (1) 3 HP |
| 362 | 1 | (2) SQUARE D HEAVY DUTY SAFETY SWITCHES NEW IN BOX, |
| 363 | 1 | 4 SKIDS W ASSORTED CONTROL PANELS, MOTORS, VALVES, (28) FIKE PRESSURE RELIEVE VALVE COMPONENTS, VALVES, BOXES, HOSES, COMPONENTS, FLOWSERVE SEAL RINGS, DIAL GAUGES |
| 364 | 1 | LOT ASST SS VALVES, UNILOC PUMP AND PARTS, (4) 150 LB PRESSURE VALVES DN 50 PN1, 4408/CF8M |
| 365 | 1 | (4) SIEMENS SIMATIC HMI CONTROL PANELS NEW IN BOX |
| 366 | 1 | SAFETY CAGE FOR FORKLIFT, 5 FT AND 10 FT FORKLIFT EXTENSIONS, 5,000 LB LIFT RITE PALLET JACK |
| 367 | 1 | (4) TECO WESTINGHOUSE INVERTERS (2) MODEL A510-5008, (2) A 510-2001 |
| 368 | 1 | (1) BUCHI ROTOVAPOR R-215, (2) BUCHI ROTOVAPOR R200, BOX W PARTS |
| 369 | 1 | BUCHI VACUUM PUMP V-700, WELCH SELF CLEANING DRY VACUUM SYSTEM MODEL 2027, HEAT PLATE, LAB TUBES, ETC |
| 370 | 1 | (15) BOXES ASSORTED LAB SUPPORT EQUIPMENT |
| 371 | 1 | (12) SKIDS LAB GLASS EQUIPMENT AND OTHER LAB SUPPORT EQUIPMENT |
| 372 | 1 | SKID W APPROX (9) NEDERMAN FLEX PIPES FOR FUME EXTRACTION |
| 373 | 1 | SKID W 2 MOTORS AND ELECTRIC COMPONENTS |
| 374 | 1 | (5) SKIDS ASSORTED HOSE, PIPE, CHEMICAL GRADE, ETC |
| 375 | 1 | (5) SKIDS ASSORTED FILTERS, PALL, FILTROIDIC, SHELCO, WIKAI, MICRO VANTAGE, TORIT, AAF |

| | | |
|-----|---|--|
| 376 | 1 | 2 SKIDS, SIEMENS ADELET CONTROL BOX, SS ENCLOSURES, COMPONENTS |
| 377 | 1 | SKID W (2) ENDRESS + HAUSER DIGITAL GAUGES, BOX W ASSORTED DIAL GAUGES, FITTINGS, HOSE, CONTROL BOXES, HARDWARE, PARTS |
| 378 | 1 | (3) SKIDS W SS BUCKET, (2) SHELCO SS FILTERS MODEL BFS-258-2TC-316T, APPROX 8 FT CUSTOM MIXER, SS CART W BUCHI BATH MODEL B-491 |
| 379 | 1 | (4) SKIDS W ASST ELECTRICAL, FLOWSERVE SERIES F39 PNEUMATIC ACTUATORS, METERS, RECEPTACLES, SIEMENS PNEUMATIC ACTUATORS, KILLARK ELECTRICAL COMPONENTS |
| 380 | 1 | SKID W MORSE BARREL CLAMP 500 LB CAP, HOSE REEL |
| 381 | 1 | BECKMAN MODEL L8-70M ULTRACENTRIFUGE |
| 382 | 1 | SS TANK FRAME, APPROX 5 FT X 5 FT |
| 383 | 1 | 2 SKIDS W ASST ELECTRICAL BOXES, BALDOR AND IRONMAN MOTORS, THERMO METERS, SCHNEIDER ELECTRIC MOTOR DISCONNECTS, SS ENCLOSURES |
| 384 | 1 | APPROX 50 PCS ASSORTED OFFICE CABINETS, METAL CABINETS, LAB CABINETS, SHELVING UNITS, 2 FLAME CABINETS |
| 385 | 1 | (2) PLASTIC TOTES W WIRE AND MIXED SUPPLIES |
| 386 | 1 | FAIRBANKS SS SCALE, MODEL 2800, CLASS I, II, III |
| 387 | 1 | FAIRBANKS SS SCALE, MODEL 2800, CLASS I, II, III |
| 388 | 1 | AIR COMPRESSOR APPROX 10 HP |